

1 LOCATION OF WATER WELL: County: <b>SALINE</b>		Fraction: <b>NE 1/4 SE 1/4 NW 1/4</b>		Section Number: <b>36</b>		Township Number: <b>T 14 S</b>		Range Number: <b>R 3 E</b>																																																																																	
Distance and direction from nearest town or city street address of well if located within city? <b>2263 QUINCY</b>																																																																																									
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : <b>2263 QUINCY SALINE, KANSAS 67401</b>					Board of Agriculture, Division of Water Resources Application Number: <b>1235</b>																																																																																				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: <b>53</b> ft. ELEVATION: <b>1235</b>																																																																																						
			Depth(s) Groundwater Encountered 1. <b>25</b> ft. 2. <b>26</b> ft. 3. <b>15</b> ft. WELL'S STATIC WATER LEVEL <b>25</b> ft. below land surface measured on mo/day/yr <b>6-7-92</b> Pump test data: Well water was <b>26</b> ft. after <b>1</b> hours pumping <b>15</b> gpm Est. Yield <b>30</b> gpm: Well water was <b>26</b> ft. after <b>1</b> hours pumping <b>15</b> gpm Bore Hole Diameter <b>8 1/2</b> in. to <b>25</b> ft. and <b>5 1/2</b> in. to <b>53</b> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <b>7</b> Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <b>X</b> No <b>X</b> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>X</b> No <b>X</b>																																																																																						
			5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <b>X</b> Clamped <b>X</b> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <b>X</b> Blank casing diameter <b>5</b> in. to <b>43</b> ft. Dia <b>14</b> in. to <b>160</b> lbs./ft. Wall thickness or gauge No. <b>SDR 26</b> Casing height above land surface <b>14</b> in. weight <b>160</b> lbs./ft.																																																																																						
			TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <b>12</b> None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped <b>8</b> Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From <b>43</b> ft. to <b>53</b> ft. From <b>43</b> ft. to <b>53</b> ft. From <b>43</b> ft. to <b>53</b> ft. From <b>43</b> ft. to <b>53</b> ft.																																																																																						
			GRAVEL PACK INTERVALS: From <b>21</b> ft. to <b>53</b> ft. From <b>21</b> ft. to <b>53</b> ft. From <b>21</b> ft. to <b>53</b> ft. From <b>21</b> ft. to <b>53</b> ft.																																																																																						
6 GROUT MATERIAL: 1 <b>1</b> Best cement 2 Cement grout 3 Bentonite 4 Other <b>40'</b>																																																																																									
Grout Intervals: From <b>0</b> ft. to <b>21</b> ft. From <b>21</b> ft. to <b>53</b> ft. From <b>53</b> ft. to <b>53</b> ft. From <b>53</b> ft. to <b>53</b> ft.																																																																																									
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? <b>NORTH</b> How many feet? <b>40'</b>																																																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">FROM</th> <th colspan="2">TO</th> <th>LITHOLOGIC LOG</th> <th colspan="2">FROM</th> <th colspan="2">TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0'</td> <td>5'</td> <td></td> <td></td> <td>Compacted dirt</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5'</td> <td>13'</td> <td></td> <td></td> <td>Fine SAND AND clay mixed</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>13'</td> <td>19'</td> <td></td> <td></td> <td>Fine SAND</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>19'</td> <td>32'</td> <td></td> <td></td> <td>Brown clay</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>32'</td> <td>42'</td> <td></td> <td></td> <td>Fine SAND</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>42'</td> <td>43'</td> <td></td> <td></td> <td>HARD Brown clay</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>43'</td> <td>53'</td> <td></td> <td></td> <td>medium to coarse SAND AND GRAVEL</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM		TO		LITHOLOGIC LOG	FROM		TO		PLUGGING INTERVALS	0'	5'			Compacted dirt						5'	13'			Fine SAND AND clay mixed						13'	19'			Fine SAND						19'	32'			Brown clay						32'	42'			Fine SAND						42'	43'			HARD Brown clay						43'	53'			medium to coarse SAND AND GRAVEL					
FROM		TO		LITHOLOGIC LOG	FROM		TO		PLUGGING INTERVALS																																																																																
0'	5'			Compacted dirt																																																																																					
5'	13'			Fine SAND AND clay mixed																																																																																					
13'	19'			Fine SAND																																																																																					
19'	32'			Brown clay																																																																																					
32'	42'			Fine SAND																																																																																					
42'	43'			HARD Brown clay																																																																																					
43'	53'			medium to coarse SAND AND GRAVEL																																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>1</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>6-7-92</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>523</b> This Water Well Record was completed on (mo/day/yr) <b>6-8-92</b> under the business name of <b>M+D Well Service</b> by (signature) <b>Matthew Loukup</b>																																																																																									