


1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: SALINE		NE 1/4 NE 1/4 SW 1/4	36		T 14 S	R 3 E/W
Distance and direction from nearest town or city street address of well if located within city? 101 BURR OAK						
2 WATER WELL OWNER: TWIN OAK TOWN HOME ASSN.						
RR#, St. Address, Box # : 101 BURR OAK				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : SALINA, KS. 67401				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 59 ft. ELEVATION: 1241				
<div style="text-align: center;">N W E S</div> 		Depth(s) Groundwater Encountered 1. 21 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 21 ft. below land surface measured on mo/day/yr 5-1-93				
		Pump test data: Well water was 26 ft. after 1 hours pumping 30 gpm				
		Est. Yield 75+ gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 9 in. to 59 ft. and in. to ft.				
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well				
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted						
Water Well Disinfected? Yes X No						
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped		
2 <u>PVC</u> 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded		
		7 Fiberglass		Threaded		
Blank casing diameter 5 in. to 49 ft. Dia. in. to ft. Dia. in. to ft.						
Casing height above land surface 20 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		10 Asbestos-cement				
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		11 Other (specify)				
		12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot .035		5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes				
		7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From 49 ft. to 59 ft. From ft. to ft.						
From ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 35 ft. to 59 ft. From ft. to ft.						
From ft. to ft. From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other						
Grout Intervals: From 0 ft. to 25 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)		NONE APPARENT				
Direction from well? How many feet?						
FROM		TO		LITHOLOGIC LOG		
FROM		TO		PLUGGING INTERVALS		
0		7		FILL DIRT		
7		18		SANDY LOAM		
18		19		CLAY BROWN		
19		59		SAND TAN FINE TO COARSE		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-1-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388 This Water Well Record was completed on (mo/day/yr) 5-5-93 under the business name of PESTINGER PUMP SERVICE by (signature) <i>Paul Pestinger</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4