

<b>1 LOCATION OF WATER WELL:</b>		Fraction	Section Number	Township Number	Range Number
County: <b>SALINE</b>		NW 1/4 NE 1/4 NE 1/4	<b>36</b>	T 14 S	R 3 E/W
Distance and direction from nearest town or city street address of well if located within city? <b>SOUTH HIGH SCHOOL 730 MAGNOLIA</b>					
<b>2 WATER WELL OWNER: USD 305</b>					
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : <b>SALINA, KS. 67401</b>			Application Number:		
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b>		<b>4 DEPTH OF COMPLETED WELL: 54.4 ft. ELEVATION: 1241</b>			
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. <b>13.9</b> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <b>13.9</b> ft. below land surface measured on mo/day/yr <b>10-3-94</b>			
		Pump test data: Well water was <b>AIR PUMPED</b> ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
Bore Hole Diameter. <b>10</b> in. to <b>55</b> ft. and in. to ft.		WELL WATER TO BE USED AS:			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well		2 Irrigation 4 Industrial 7 <u>Lawn and garden only</u> 10 Monitoring well 12 Other (Specify below)			
Was a chemical/bacteriological sample submitted to Department? Yes.....No <b>X</b> .....; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <b>X</b> No					
<b>5 TYPE OF BLANK CASING USED:</b>					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued <b>X</b> Clamped			
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)		Welded			
Blank casing diameter <b>6</b> in. to <b>40</b> ft. Dia. in. to ft. Dia. in. to ft.		Threaded.			
Casing height above land surface <b>18</b> in. weight <b>160</b> lbs./ft. Wall thickness or gauge No. <b>SDR 26</b>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot <b>.030</b> 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <b>40</b> ft. to <b>54.4</b> ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <b>25</b> ft. to <b>54.4</b> ft. From ft. to ft. From ft. to ft.					
<b>6 GROUT MATERIAL:</b> 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other					
Grout Intervals: From <b>0</b> ft. to <b>25</b> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)		<b>OPEN FIELD NONE APPARENT</b>			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	TOP SOIL			
2	18	CLAY TAN SILTY			
18	32	SAND FINE SILTY TAN			
32	33	CLAY TAN SOFT			
33	55	SAND COARSE TAN ROUND			
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was (1) <u>constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10-3-94</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>388</b> This Water Well Record was completed on (mo/day/yr) <b>10-3-94</b> under the business name of <b>PESTINGER PUMP SERVICE</b> by (signature) <i>Paul Pester</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					