			WATE	R WELL REC	ORD	Form W	NC-5	KSA 82	a-1212				
<del></del>		TER WELL:	Fraction	SE 1	, SE		Section 34	n Number	Town	ship Numbe	∍r	Range Nug	ber
County:	Saline and direction	n from nearest town	Of city street	,	•	1/4			<u> </u>		s	R	EW
1		hilling and Center		ACCITES OF WELL	ii iocatec	with the	aty:						
	R WELL OV		Airport Autho	rity									
₽	Address, Bo		rnold Ave.						Bos	ed of Amin		indicion of Manage	
	e, ZIP Code			Board of Agriculture, Division of Water Resource  Application Number: 1250							1esource		
3 LOCAT	E WELL'S L	OCATION WITH 4	DEPTH OF C	OMPLETED V	VELL 2	0		ft FI FV	ATION:	iicaboii itai	1250	)	
H AN "X"	" IN SECTIO	N BOX:	epth(s) Ground	water Encount	tered 1.			ft.	2		 ft 3	12/22/94	ft.
7	· ·	W	ELL'S STATIC	WATER LEV	EL	9.7	ft. belo	w land su	rface measu	red on mo/	dav/vr	12/22/94	
	 NW	- NE	Pum	p test data: V	Veil water	was	. <b></b> .	ft. a	after	ho	urs pun	npina	apm
	1		st. Yield	gpm: V	Vell water	was	. <b></b>	ft. a	after	bo	urs oun	noina	COM
wit.	1	l B	ore Hole Diam	eterö.	in. to .	20	, 	ft.,	and	• • • • • • • •	in.	to	ft.
₹ "	į	w		TO BE USED				supply	8 Air condi			njection well	
	SW	SE	1 Domestic	• • • • • •	lot, 6	Oil field	<b>wa</b> ter	supply	9 Dewateri	ng	12 C	Other (Specify bel	ow)
	!		2 Irrigation	4 Indus	trial 7	Lawn a	ind gard	den only	10 Monitorir	ng well	,	• • • • • • • • • • • • • • • • • • • •	• • • • • •
<u>i</u>			as a cnemical/ itted	bactenological	sample st	Deminted 1	to Deba					mo/day/yr sample	
5 TYPE	OF BLANK	CASING USED:	neu	5 Wrought in	200	8 C	oncrete		ater Well Dis			No X	
_1 SI		3 RMP (SR)		6 Asbestos-(				ecify belo		IG JOINTS		Ciamped d	
(a) P	VC	4 ABS		7 Fiberglass							Thread	ted X	
Blank cas	ing diameter	2in.	to 5	ft., Dia		in	. to		ft Dia	. <b>.</b> . <b></b>	ir	ı. ta	ft
Casing he	eight above la	and surface R PERFORATION N	-3.4	.in., weight			. <b>.</b>	lbs	ft. Wall thick	ness or ga	uge No	Sch. 40	
TYPE OF	SCREEN O	R PERFORATION N	MATERIAL:			G	PVC		1	0 Asbestos	-cemen	nt	
1 St	eel	3 Stainless st	eel	5 Fiberglass		8	RMP (	(SR)	1	1 Other (sp	pecify) .		. <b>.</b>
2 Br		4 Galvanized		6 Concrete to		_	ABS			2 None us			
		RATION OPENINGS			5 Gauzeo							11 None (open h	iole)
	ontinuous sio				6 Wire w				9 Drilled I				
	ouvered shutt	er 4 Key ( ED INTERVALS:	From	5	7 Torch (	Jut	20	# Ero	10 Other (	specify)			
CONCLIN		in Living.	From		ft to			ft Fro	m m		ft to		π.
(	GRAVEL PA	CK INTERVALS:	From	4	ft. to		20	ft Fra	m		, ft to		ft
			From		ft. to	_		ft., Fro					
6 GROUT	MATERIAL		ent	Cement grou	ut	G) <sub>B</sub>	entonite	4	Other		. <i>.</i>		
Grout Inte		n9ft.	to3	ft., Fron	n 3	1	ft. to.	<mark>4</mark>	ft., Fr	om		. ft. to	ft.
What is the nearest source of possible contamination:									tock pens			andoned water we	ali
							11 Fuel storag						
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoon 9 Feedvard			12 Fertilizer storage 13 Insecticide storage 14 Other (specify below) unknown					')	
	•	er lines 6 Seepage NA	pit	9 Feed	ayara				•	e			• • • • •
Direction f FROM	TO I		LITHOLOGIC	LOG		FROM	1	How mai	ny reet?	PLUGG	ING IN	TERVALS	
. 0	0.5	Roadgravel ar			<u></u>				MW2				
0.5	6	Clay, Dark Br							GeoCore #	144195	Flu	sh-mount Cover	
6	9	Clay, Light G	ray-Olive Bro	wn					SAA # Cen	tennial		Tag #	
9	14	Clay, Medium				ļ							
14	20	Clay, Medium	Orange-Bro	wn									
·							-						
											· · · · · ·		
									·				
CONTR	ACTOR'S O	R LANDOWNER'S	CERTIFICATION	ON; This water	well was	(U)cons	structed	, (2) reco	nstructed, or	(3) plugge	d under	r my jurisdiction a	and was
completed	on (mo/day/)	/ear)			. <b>.</b>		. and	this recor	d is true to t	he best of r	ny know	vledge and belief.	Kansas
Nater Well	Contractor's	License No	547 ;	This V	Vater Well	Record	was co	ompleted o	on (mo/day/y	() //	12	,	
under the b	ousiness nam	ne of	GeoCo.	ie services, II				by (signat	ure)	tell A	Koll		
		pewriter or ball point cen. ent, Bureau of Water, Topi										opies to Kansas Depart	ment