		WATER	WELL RECORD	Form WW	C-5 KSA 8	2a-1212			
1 LOCATION OF	WATER WELL:	Fraction	. e. r	B	Section Number		p Number	Range Number	
County: Saline Distance and direction from nearest town of		1 SE 1/4	SE 1/4 SI		27	7	<u>14 s</u>	<u> </u>	\bigcirc
									Star Star
600	feet North, 350 fe	the state of the same of the s				a, Salina, Ka	nsas		
2 WATER WELL		a Airport Autl	nority - Corp of	f Engineer	rs				
RR#, St. Address		Arnold				Board	of Agriculture,	Division of Water Reso	urae
City, State, ZIP C		a, Kansas 674				Applica	tion Number:		
LOCATE WELL	'S LOCATION WITH 4	DEPTH OF CO	MPLETED WELL.	16	.3 ft. ELEV	ATION:			
AN "X" IN SEC								3,	
7									
NW	1 1 1							ımping	
1 1744	Es	st. Yield	gpm: Well wat	er was	ft.	after	hours or	ımping	com
<u>.</u>	I Bo	ore Hole Diamete	or12in. to	16	•5ft.	, and	in	i. to	ft.
* *		ELL WATER TO			ater supply	8 Air condition		Injection well	
- Ju		1 Domestic	3 Feedlot	6 Oil field	water supply		-	Other (Specify below)	
SW:	SE	2 Irrigation	4 Industrial	7 Lawn an	d garden only	(10) Monitoring	well	••••••	
1 1 ;	X	as a chemical/ba	cteriological sample	submitted to	Department?	YesNo	X If yes	, mo/day/yr sample wa	s sub
		itted				Vater Well Disinfe		No X	
5 TYPE OF BLA	NK CASING USED:		Wrought iron	8 Cor	crete tile			d Clamped	
1 Steel	3 RMP (SR)		Asbestos-Cement	9 Oth	er (specify bel			ied	
(2 PVC	4 ABS		7 Fiberglass			, 		adedX	
Blank casing dian	neter in.	6 2	•					in. to	
Casing height abo	ove land surface	36 ir	., weight		ibs	s./ft. Wall thickne	ss or gauge N	sch. 40	
TYPE OF SCREE	N OR PERFORATION N	MATERIAL:		(7)	PVC		Asbestos-ceme		
1 Steel	3 Stainless st	teet .	Fiberglass		RMP (SR)				
2 Brass 4 Galvanized steel 6 Concrete tile					9 ABS 12 None used (open hole)				
SCREEN OR PER	RFORATION OPENINGS	ARE:	5 Gauz	ed wrapped	*,		,	11 None (open hole)	,
1 Continuou	s slot (3)Mill s	slot		wrapped	•	9 Drilled hole	es		
2 Louvered	shutter 4 Key	punched	7 Torch	1 cut		10 Other (spe	cifv)	· · · · · · · · · · · · · · · · · · ·	
SCREEN-PERFO	RATED INTERVALS:	From 6	•3 ft. to .	16	.3 ft., Fr	om	ft. 1	0	ft.
		From	ft. to		ft., Fr	om	ft. t	:o	ft.
GRAVEL	. PACK INTERVALS:	From	5.3 ft. to		3 ft., Fr	om	ft. t	o	ft.
		From	ft. to		ft., Fr		ft. t		ft.
GROUT MATE			Cement grout	(3)Ber	ntonite 4	Other			
Grout Intervals:	From 5 . 3 ft.	to3.1	ft., From	3.1 h	. to0.	ft., From		ft. to	ft.
What is the neare	st source of possible cor	amination: 10 Livestock pens 14					14 A	bandoned water well	
1 Septic tank	C. 4 Lateral li	ines	es 7 Pit privy 1			1 Fuel storage 15 Oil well/Gas well			
2 Sewer line	s 5 Cess po						ther (specify below)		
3 Watertight	sewer lines 6 Seepage	pit 9 Feedyard 13 Insecticide storage unknown					inknown.		
Direction from wel	1? unknown				How m	any feet?			
FROM TO		LITHOLOGIC LO	G	FROM	ТО		PLUGGING II	NTERVALS	
0 12	Clay - brown			<u> </u>		·	**		
12 16.	5 Clay - brown, s	sandy, silty				·		·	
	<u>. </u>								
								·	
			·						
								·,	
			**************************************					• •	
							***************************************		···
		······································							
								·	
								na nikot 1980 MATTO Pilot Milipolonyola amia milipa kanpa alaka ka	
						Well #	SA-LF2-OW1	05	·····
CONTRACTOR	'S OR LANDOWNER'S	CERTIFICATION	: This water well wa	as (#) const	ructed, (2) reco	onstructed, or (3	plugged und	er my jurisdiction and	was
	day/year) 04-15	-94		Name and Address of the Owner, where				owledge and belief. Kar	
Water Well Contra	ctor's License No ⁵	527	This Water W					7-15-94	
under the business	name of GebCore	Services, Inc			by (signa	2.1	e Rell		•