

1 LOCATION OF WATER WELL: County: <b>Saline</b>	Fraction <b>SW</b> $\frac{1}{4}$ <b>NE</b> $\frac{1}{4}$ <b>NW</b> $\frac{1}{4}$	Section Number <b>13</b>	Township Number <b>T 14 S</b>	Range Number <b>R 3 W</b>
--	---	-----------------------------	----------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**307 E. Walnut Salina, KS 67401**

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<b>This &amp; That Lamps &amp; Shades</b> <b>Salina, Kansas 67401</b>	Board of Agriculture, Division of Water Resources Application Number: <b>1225</b>
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <b>40</b> ft. ELEVATION: <b>1225</b> ft.
	Depth(s) Groundwater Encountered 1. <b>31.4</b> ft. 2. <b>11/29/94</b> ft. WELL'S STATIC WATER LEVEL <b>NA</b> ft. below land surface measured on mo/day/yr Pump test data: Well water was <b>NA</b> ft. after <b>NA</b> hours pumping <b>NA</b> gpm Est. Yield <b>NA</b> gpm: Well water was <b>40</b> ft. after <b>NA</b> hours pumping <b>NA</b> gpm Bore Hole Diameter <b>NA</b> in. to <b>NA</b> ft., and <b>NA</b> in. to <b>NA</b> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <b>NA</b> No <b>X</b> ; If yes, mo/day/yr sample was submitted <b>NA</b> Water Well Disinfected? Yes <b>NA</b> No <b>X</b>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <b>NA</b> Clamped <b>NA</b>
<input checked="" type="radio"/> Steel <input checked="" type="radio"/> PVC 3 RMP (SR) 4 ABS 6 Asbestos-Cement 7 Fiberglass 9 Other (specify below)	25 Blank casing diameter <b>1.9</b> in. to <b>25</b> ft., Dia. <b>1.9</b> in. to <b>25</b> ft., Dia. <b>1.9</b> in. to <b>25</b> ft. Casing height above land surface <b>1.9</b> in., weight <b>1.9</b> lbs./ft. Wall thickness or gauge No. <b>40</b>	Welded <b>NA</b> Threaded <b>X</b>	
TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="radio"/> Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) <b>NA</b> 12 None used (open hole)	7 PVC 10 Asbestos-cement 11 Other (specify) <b>NA</b> 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) <b>NA</b> 11 None (open hole)	10 Other (specify) <b>NA</b> 11 None (open hole)	
SCREEN-PERFORATED INTERVALS:	From <b>25</b> ft. to <b>40</b> ft., From <b>25</b> ft. to <b>40</b> ft., From <b>25</b> ft. to <b>40</b> ft. From <b>23</b> ft. to <b>40</b> ft., From <b>23</b> ft. to <b>40</b> ft., From <b>23</b> ft. to <b>40</b> ft.		
GRAVEL PACK INTERVALS:	From <b>25</b> ft. to <b>40</b> ft., From <b>25</b> ft. to <b>40</b> ft., From <b>25</b> ft. to <b>40</b> ft. From <b>23</b> ft. to <b>40</b> ft., From <b>23</b> ft. to <b>40</b> ft., From <b>23</b> ft. to <b>40</b> ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <b>0</b> ft. to <b>21</b> ft., From <b>21</b> ft. to <b>23</b> ft., From <b>23</b> ft. to <b>23</b> ft.				
What is the nearest source of possible contamination:	1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) <b>UST</b>			
Direction from well? <b>West</b>				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.5	Concrete,			MW1
0.5	1	Sand,			GeoCore # 114118 Flush-mount Cover
1	5	Clay, Very Dark Gray			KDHE # 05085854 Tag # 00111832
5	9	Clay, Medium Gray			
9	12	Clay, Medium Brown to Gray			
12	15	Silt, Light Gray			
15	22	Clay, Medium Brown, Slight Gray Tint			
22	30	Silt, Light Brown			
30	35	Sand, Light Yellow to Brown			
35	40	Sand, Very Dark Gray			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, <b>(2)</b> reconstructed, or <b>(3)</b> plugged under my jurisdiction and was completed on (mo/day/year) <b>11/29/94</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>527</b> This Water Well Record was completed on (mo/day/yr) <b>12/14/94</b> under the business name of <b>GeoCore Services, Inc.</b> by (signature) <i>[Signature]</i>
--