

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Saline	NE 1/4 SE 1/4 SE 1/4	23	T 14 S	R 3 W EW

Distance and direction from nearest town or city street address of well if located within city?

60' W of the SW corner of 9th/Kirwin Ave

2 WATER WELL OWNER:	Payne Oil Co.	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	P.O. Box 671	Application Number:
City, State, ZIP Code :	Salina, Kansas 67402	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 35 ft. ELEVATION: 1234
	Depth(s) Groundwater Encountered 1. 30 ft. 2. 1234 ft. WELL'S STATIC WATER LEVEL 1261.4 ft. below land surface measured on mo/day/yr 3/15/95 Pump test data: Well water was NA ft. after NA hours pumping NA gpm Est. Yield NA gpm: Well water was NA ft. after NA hours pumping NA gpm Bore Hole Diameter 8 in. to 35 ft., and NA in. to NA ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 1 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes NA No X ; If yes, mo/day/yr sample was submitted NA Water Well Disinfected? Yes NA No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued NA Clamped NA
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
2 PVC	4 ABS	7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 20 ft., Dia NA in. to NA ft., Dia NA in. to NA ft.			
Casing height above land surface 0 in., weight NA lbs./ft. Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify) NA			
12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) NA
SCREEN-PERFORATED INTERVALS:	From 20 ft. to 35 ft.	From NA ft. to NA ft.	From NA ft. to NA ft.
GRAVEL PACK INTERVALS:	From 18 ft. to 35 ft.	From NA ft. to NA ft.	From NA ft. to NA ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other NA
Grout Intervals:	From 0 ft. to 16 ft.	From 16 ft. to 18 ft.	From 18 ft. to NA ft.	From NA ft. to NA ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/Gas well
			13 Insecticide storage	16 Other (specify below) UST Basin
Direction from well? NE			How many feet? 200	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.66	Concrete,			MW3
0.66	2	Clay, Dark Brown			GeoCore # 108
2	5.5	Clay, Light Brown			Flush-mount Cover
5.5	14	Clay, Medium Brown			KDHE # 05085862
14	16.5	Silt, Light Brown			Tag # 118161
16.5	18	Sand,			
18	26	Clay, Medium Brown			
26	34	Clay, Medium Orange-Brown			
34	35	Clay, Medium Orange-Brown			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 3/15/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 4/4/95 under the business name of GeoCore Services, Inc. by (signature) Bob Roll
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.