

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number																																																																																																																														
County: Saline		$\frac{SW}{4} \quad \frac{NW}{4}$	24	T 14 S	R 3 W E/W																																																																																																																														
Distance and direction from nearest town or city street address of well if located within city? 200' NE of the NE corner of 9th/Jewell																																																																																																																																			
2 WATER WELL OWNER: Payne Oil Co. RR#, St. Address, Box # : P.O. Box 671 City, State, ZIP Code : Salina, Kansas 67402 Board of Agriculture, Division of Water Resources Application Number: _____																																																																																																																																			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL. .35 ft. ELEVATION: Depth(s) Groundwater Encountered 1.....ft. 2.....ft. 3.....ft. 1234 WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr 3/15/95 Pump test data: Well water wasft. after hours pumping gpm Est. Yield NA gpm: Well water wasft. after hours pumping gpm Bore Hole Diameterin. to ...35....ft., andin. toft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes.....No.. X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X																																																																																																																																	
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped (2) PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameterin. to ...20....ft., Diain. toft., Diain. toft. Casing height above land surfacein., weightlbs./ft. Wall thickness or gauge No. Sch. 40 Threaded. X TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot (3) Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 3 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From20....ft. to ...35....ft., Fromft. toft. Fromft. toft., Fromft. toft. GRAVEL PACK INTERVALS: From18....ft. to ...35....ft., Fromft. toft. Fromft. toft., Fromft. toft.																																																																																																																																			
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite 4 Other Grout Intervals: From0....ft. to ...16....ft., From16....ft. to ...18....ft., Fromft. toft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage (16) Other (specify below) UST Basin Direction from well? SW How many feet? 440																																																																																																																																			
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.5</td> <td>Sand,</td> <td></td> <td></td> <td>MW11</td> </tr> <tr> <td>0.5</td> <td>3</td> <td>Clay, Dark Brown</td> <td></td> <td></td> <td>GeoCore # 108 Flush-mount Cover</td> </tr> <tr> <td>3</td> <td>7</td> <td>Clay, Light Orange-Brown</td> <td></td> <td></td> <td>KDHE # 05085862 Tag # 118215</td> </tr> <tr> <td>7</td> <td>20</td> <td>Clay, Medium Brown with slight orange ti</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>25</td> <td>Clay, Brown mottled with Light Gray and</td> <td></td> <td></td> <td></td> </tr> <tr> <td>25</td> <td>31</td> <td>Clay, Bright Medium Orange-Brown</td> <td></td> <td></td> <td></td> </tr> <tr> <td>31</td> <td>35</td> <td>Sand, Light Orange-Brown</td> <td></td> <td></td> <td></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	0.5	Sand,			MW11	0.5	3	Clay, Dark Brown			GeoCore # 108 Flush-mount Cover	3	7	Clay, Light Orange-Brown			KDHE # 05085862 Tag # 118215	7	20	Clay, Medium Brown with slight orange ti				20	25	Clay, Brown mottled with Light Gray and				25	31	Clay, Bright Medium Orange-Brown				31	35	Sand, Light Orange-Brown																																																																																	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																																														
0	0.5	Sand,			MW11																																																																																																																														
0.5	3	Clay, Dark Brown			GeoCore # 108 Flush-mount Cover																																																																																																																														
3	7	Clay, Light Orange-Brown			KDHE # 05085862 Tag # 118215																																																																																																																														
7	20	Clay, Medium Brown with slight orange ti																																																																																																																																	
20	25	Clay, Brown mottled with Light Gray and																																																																																																																																	
25	31	Clay, Bright Medium Orange-Brown																																																																																																																																	
31	35	Sand, Light Orange-Brown																																																																																																																																	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/15/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 4/95 under the business name of GeoCore Services, Inc. by (signature) Dale Redd																																																																																																																																			

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.