

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>	NW 1/4 SW 1/4 SW 1/4	24	T 14 S	R 3 W E/W

Distance and direction from nearest town or city street address of well if located within city?

200' SE of the SE corner of 9th/Jewell Ave

2 WATER WELL OWNER:	Payne Oil Co.	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	P.O. Box 671	Application Number:
City, State, ZIP Code :	Salina, Kansas 67402	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 35 ft. ELEVATION: 1234
	Depth(s) Groundwater Encountered 1. 33 ft. 2. 1234 ft. WELL'S STATIC WATER LEVEL 1234 ft. below land surface measured on mo/day/yr 3/15/95 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield NA gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 8 in. to 35 ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) _____
2 PVC	4 ABS	7 Fiberglass	Welded _____
Blank casing diameter 2 in. to 20 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.			Threaded <u>X</u>
Casing height above land surface 0 in., weight _____ lbs./ft. Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) _____
SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft., From _____ ft. to _____ ft.			
GRAVEL PACK INTERVALS: From 18 ft. to 35 ft., From _____ ft. to _____ ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other _____
Grout Intervals: From 0 ft. to 16 ft., From 16 ft. to 18 ft., From _____ ft. to _____ ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below) _____
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	UST Basin
Direction from well? SW			How many feet? 240	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Clay, Dark Brown			MW8
2	6.5	Silt, Light Brown			GeoCore # 108 Flush-mount Cover
6.5	8	Clay, Medium Brown			KDHE # 05085862 Tag # 118192
8	10	Silt, Light Brown			
10	17	Clay, Medium Brown			
17	20	Silt, Light Orange-Brown			
20	23	Sand, Light Yellow-Orange			
23	33	Clay, Mottled light Gray-Brown			
33	35	Sand, Light Gray			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/15/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 3/15/95 under the business name of GeoCore Services, Inc. by (signature) [Signature]
--