			WATE	R WELL RECORD	Form WW0	C-5 KSA 8	2a-1212		
	ON OF WAT	TER WELL:	Fraction SW 1/4		8	Section Numb	er Township N	lumber	Range Number
County:	Distance and direction from nearest town or ci			SW 1/4 N	E 1/4	34	T 14	S	R 3 W E/W
Distance a		st of Arnold ar			ed within city	17			
2 WATER	R WELL OW		Airport Autho	· · · · · · · · · · · · · · · · · · ·					
	Address, Box		an port Autho arnold Ave.	n ity			Board of	Agricultura	Divinion of Water Deserves
	, ZIP Code	0207.12	Kansas 6740	Board of Agriculture, Division of Water Resc Application Number:					Division of water Hesource
3 LOCATI	E WELL'S LO	OCATION WITH 4	DEPTH OF C	OMPLETED WELL	26	# FLEV	/ATION:	i indifibel.	98.61
AN "X"	IN SECTION	1 BOX: C	epth(s) Ground	water Encountered	1		. 2		
ī	! !	1 W	ELL'S STATIC	WATER LEVEL	6.5 . ft	below land s	surface measured o	n mo/dav/vi	3/23/95
	NW	NE							umping gpm
		, E	st. Yield . NA.	gpm: Well wat	er was	fţ.	after	. hours p	umping apm
Wije w		l B	ore Hole Diame	eterÖ🎡in. to	26.		, and	ir	n. to
5				O BE USED AS:		ater supply			
-	sw	SE	1 Domestic	3 Feedlot	6 Oil field v	vater supply	9 Dewatering	12	Other (Specify below)
		! \	2 Irrigation	4 Industrial					****************
1			itted	acteriological sample	submitted to				s, mo/day/yr sample was sub
5 TYPE C	OF BLANK C	ASING USED:	nica	5 Wrought iron	8 Con	crete tile	Vater Well Disinfect		No X
ىد. 1 Ste		3 RMP (SR)		6 Asbestos-Cement		er (specify bel			ded Clamped ded
PVC 4 ABS				7 Fiberglass					adedX
		2 in.	to 6		in.	to	ft Dia		in. to ft.
Casing hei	ght above la	nd surface	.D.J	in., weight		lbs	s./ft. Wall thickness	or gauge N	lo. Sch. 40
		R PERFORATION N		PVC			10 Asbestos-cement		
1 Steel 3 Stainless steel				5 Fiberglass 8 RMP (RMP (SR)	11 Other (specify))
2 Brass 4 Galvanized steel				6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
	ntinuous slot uvered shutte				6 Wire wrapped 9 Drilled holes			· · · · · · · · · · · · · · · · · · ·	
		# 4 Key D INTERVALS:	punched	7 Torch		26 " -			<i>, .</i>
00/12/1/		D 1141 C1147 (CO.	From	ft to		49π., Fr 4 =	om	.,π.:	to
G	RAVEL PAC	K INTERVALS:	From	5 ft. to .		26 ft Fr	om		toπ.
			From						to ft.
6 GROUT	MATERIAL:	1 Neat cem	rent (Cement grout	3 Ban	tonito	1 Other		
Grout Inten	vals: From	1 0 ft _{ij}	to 3	ft., From	3ft.	to 5	ft., From		ft. to
What is the nearest source of possible contamination:				•		10 Livestock pens		14 Abandoned water well	
				7 Pit privy		11 Fuel storage			
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		Other (specify below)	
3 Watertight sewer lines 6 Seepage pit Direction from well? East				9 Feedyard			ecticide storage		UST Basin
FROM TO LITHOLOGIC L			.OG	FROM	How many feet? 100 PLUGGING			NTERVALS	
0	0.5	Clay, Medium			1110111	1 10	PLUGGING INTERVALS MW5		
0.5	6	Clay, Medium					GeoCore # 146	Al	pove-ground Cover
6	9	Clay, Light G	ray-Brown				g.,		1 . ,1,
9	12	Shale, Light C	Green-Brown						
12	15	Shale, Dark R	Led						
15	20	Shale, Light T							
20	22	Shale, Light C							
22	26	Shale, Light C	Gray						
						-			
***************************************									NAME & 1930

CONTRA	ACTOR'S OF	R LANDOWNER'S	CERTIFICATIO	N: This water well w	as (Constr	ucted (2) rec	constructed or (3) r	lugged upo	der my jurisdiction and was
- completed c	on (mo/day/y	ear)	3-23-95	***************************************					owledge and belief. Kansas
		License No	527	This Water W		as completed	on (mo/day/yr)		-3/30/95 Soliot. Natioas
inder the b	usiness nam	e of	GeoCor	e Services, Inc.		by (sign	ature) ∂_z	I Ro-	