


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: SALINE	NE 1/4 NE 1/4 NE 1/4	11	T 14 S	R 3 E

Distance and direction from nearest town or city street address of well if located within city?

845 N. BROADWAY SALINE KS.

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
TOWN & COUNTRY MARKETS	
P.O. BOX 17087	
City, State, ZIP Code	
WICHITA, KS. 67217	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL:	ELEVATION:
	30 ft.	1219.77
	Depth(s) Groundwater Encountered 1. 23.5 ft. 2. . ft. 3. . ft.	
	WELL'S STATIC WATER LEVEL 21.20 ft. below land surface measured on mo/day/yr 3/27/95	
	Pump test data: Well water was . ft. after . hours pumping . gpm	
	Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm	
	Bore Hole Diameter 8.5 in. to 30 ft. and . in. to . ft.	
	WELL WATER TO BE USED AS:	
	5 Public water supply 8 Air conditioning 11 Injection well	
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes. . No. <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted	
	Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter below in. to ft., Dia in. to ft.			Threaded. <input checked="" type="checkbox"/>
Casing height above land surface. ft., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 30 ft. to 15 ft., From ft. to ft.		
	From ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS:	From 30 ft. to 13 ft., From ft. to ft.		
	From ft. to ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 1 ft. to 11 ft., From 11 ft. to 13 ft., From ft. to ft.			
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? SOUTH EAST			How many feet? 150	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	TOP SOIL			
1	11.5	SILTY CLAY			
11.5	16.5	SILT			
16.5	30	SILTY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/23/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 568 This Water Well Record was completed on (mo/day/yr) 5/17/95 under the business name of MAX'S ENTERPRISES by (signature) David Kery Cho
--