


1 LOCATION OF WATER WELL: County: SALINE	Fraction NW 1/4 NW 1/4 NW 1/4	Section Number 12	Township Number T 14 S	Range Number R 3 EW
--	---	-----------------------------	----------------------------------	-------------------------------

Distance and direction from nearest town or city street address of well if located within city?

809 N. 8th SALINE KS.

2 WATER WELL OWNER: TOWN & COUNTRY MARKETS RR#, St. Address, Box #: P.O. BOX 17087 City, State, ZIP Code: WICHITA, KS. 67217	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION: 1219.52
--	--



1 Mile

Depth(s) Groundwater Encountered 1. **24** ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **21.97** ft. below land surface measured on mo/day/yr **3/27/95**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **8.5** in. to **30** ft. and in. to ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No ☒ If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No ☒

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
------------------------------	----------------	-----------------	------------------------------

1 Steel

2 PVC

Blank casing diameter **2** in. to **15** ft. Dia. in. to ft. Dia. in. to ft.

Casing height above land surface **15** ft. weight lbs./ft. Wall thickness or gauge No.

3 RMP (SR)

4 ABS

7 Fiberglass

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From **15** ft. to **30** ft. From ft. to ft.

GRAVEL PACK INTERVALS: From **13** ft. to **30** ft. From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	-----------------------	--------------------	---------

Grout Intervals: From **1** ft. to **11** ft. From **11** ft. to **13** ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)

Direction from well? **NORTHWEST** How many feet? **375**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	TOPSOIL			
1	12	SILTY CLAY			
12	18.5	SILT			
18.5	30	SANDY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/23/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 568 This Water Well Record was completed on (mo/day/yr) 5/17/95 under the business name of MAX'S ENTERPRISES by (signature) David Nuytk
