WATE	R WEI	LL RECORD	Form WWC-5		Division of Wate	r Resources App. N	0	
1 LOCATION OF WATER WELL:			Fraction  % SE % SE % S\	W 1/4	Section Number 12	Township No. T 14 S	Range Number R 30 ☐E ☑W	
Stree	t/Rural /	ddress of Well Location: i	f unknown, distance & directi	Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here								
l .						Longitude: (in decimal degrees)		
FROM GOVE: WEST 5 MI, SOUTH 8 MI, 1/2 MI WEST				1	Elevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: VIOLA RICHMEIER					Collection Method:			
RR#, Street Address, Box #: 3053 CC						ce/Model:	)	
at a small			LL, KS 67738	- 1			c Map, [] Land Survey	
	,, -	GRIMNE	ELL, NO 07730	- 1	Est. Accuracy: <	3 m, 3-5 m,	5-15 m, □>15 m	
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 39								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
1	N WELL'S STATIC WATER LEVEL. 19							
Pump test data: Well water wasft. after hours pumping gpm								
1 1 mom verne n 46							pinggpm	
							f	
W   E   Bore Hole Diameter 9./2in. to								
'	Sw Sp Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SWSE   Domestic   Feeting   On field water supply   Bewatering   Online (Specify below)								
Was a chemical/bacteriological sample submitted to Department?  Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☑ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: M Glued Clamped Welded Threaded								
Casing diameter .5 in. to .24 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface .24 in., Weight .160 lbs./ft., Wall thickness or gauge NoSQR.26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From29								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Nest cement Cement grout Dentonite Other								
Grout Intervals: From .0								
What is	the near	est source of possible conta	mination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well NONE								
Dire	ction from	n well		ance fr	om well			
FROM	TO	LITHOLOG					IGGING INTERVALS	
0	5	TOPSOIL				The state of the s		
5	21	TAN / BROWN CLAY						
21	38	SAND						
38	39	SHALE		+-				
<del>  ••</del>	100	V: 1744			<del></del>	h		
<del> </del>								
ļ					<del></del>			
<b></b>	ļ						·	
				l_				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 📋 reconstructed, or 🔲 plugged								
under my jurisdiction and was completed on (mo/day/year) .3/26/2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year) 4/19/2013								
under the business name of AQUA PUMP LLC by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, bl	ue, pink) t	Kansas Department of Health	and Environment, Bureau of Water,	Geology	y Section, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								