			<del></del>	R WELL RECORD	Form WWC-5	KSA 82a				
		TER WELL:	Fraction	<b></b>		tion Number	1	Range Number		
County:					W 1/4	28	T 14 S	R 32 EW		
Distance a	and direction	from nearest town	or city street ac	Idress of well if locate		,	1 1			
				JN o	2 /2 Wm	1 of El	poyder			
WATE	R WELL OV	INER: Kiele	hayld			/	•			
RR#, St	Address, Bo	x# : Blench	Tee	165 6774P			Board of Agriculture	e, Division of Water Resources		
City, State	, ZIP Code	:	Oahly	165 6774P	5 67748			Application Number:		
I LOCATI	E WELL'S L IN SECTIO	N BOX: De	DEPTH OF CO epth(s) Groundv 'ELL'S STATIC	OMPLETED WELL vater Encountered 1 WATER LEVEL	/ O ft. bi	ft. 2 elow land surf	tt	3		
-	NW		st.Yield 🗲	🧟 gpm: Well water	erwas	ft. af	ter hours	pumping gpm gpm		
* w	t	l Bo	Bore Hole Diameter 9 in. to							
₹ "	!		ELL WATER TO	O BE USED AS:	5 Public wate	r supply	8 Air conditioning 1	1 Injection well		
7	CVA	SE	1 Domestic	3 Feedlot	@Oil field wat	er supply	9 Dewatering 1	2 Other (Specify below)		
	3 <b>VV</b>	36	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well			
1 1	i	w	as a chemical/b	acteriological sample	submitted to De	partment? Ye	sNo. 🔀 💢 If ye	es, mo/day/yr sample was sub-		
_		s mi	itted			Wat	er Well Disinfected? Yes	× No		
TYPE (	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOINTS: Git	ied .X Clamped		
1 St		3 RMP (SR)		6 Asbestos-Cement		specify below		elded		
(De)		4 ABS		7 Fiberglass				readed		
Plank agai	na diamata		, 10	# Dia	in to		4 Dia	. in. to ft.		
Olarik Casi	ng diameter		/2_	· · · · · it., Dia · · · · · ·			II., DIa	No. 2 - 0		
				in., weight						
		R PERFORATION M			₹PV(		10 Asbestos-cer			
1 St	eel	3 Stainless st	teel	5 Fiberglass	8 RM	P (SR)	11 Other (specified)	<b>'y)</b>		
2 Br	ass	4 Galvanized	steel	6 Concrete tile	9 AB	3	12 None used (	open hole)		
SCREEN	OR PERFO	RATION OPENINGS	ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)		
<b>Q</b> C0	ontinuous slo	ot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes			
2 Lo	uvered shut	ter 4 Key	punched	7 Torch	cut		10 Other (specify)			
SCREEN-	PERFORAT	ED INTERVALS:	From	/ D ft. to	48	ft Fron	n tt	. toft.		
								. toft.		
(	GRAVEL PA	CK INTERVALS:	From	10 ft to	48	ft Fron	n ft	toft.		
			From	ft. to		ft., Fron		to ft.		
S GBOLD	MATERIAI	.: 1 Neat cen		2 Cement grout	<b>⊘</b> Bentoi	*	Other			
						·····	# From	ft. to		
		ource of possible co				10 Livest		Abandoned water well		
		4 Lateral I					· ·			
	eptic tank			7 Pit privy		11 Fuel s	<del>-</del>	Dil well/Gas well		
		5 Cess po		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit						13 Insect	icide storage			
Direction f	<del></del>	South				How man				
FROM	то		LITHOLOGIC L	.OG	FROM	то	PLUGGING	INTERVALS		
	2	Jop soil								
2	47	Sand, gra	vel							
47	48	Stale								
							The second secon			
		,	V							
	<del> </del>									
	<u> </u>				-+					
					4					
	ļ									
							A COMPLETE OF THE CONTROL OF THE CON	THE RESERVE OF THE PROPERTY OF		
	i					<u>l</u> _	The second secon			
							==	nder my jurisdiction and was		
		/year) <b>. /</b> . <b>2</b> . ·					•	knowledge and belief. Kansas		
		s License No	A 14	This Water W	ell Record was	s completed of	on (mo/day/yr)	25-13		
under the	business na	me of B+B	Vullen	LLC		by (signat	ure) (bourte	hnow		
INSTRU	CTIONS: Use to	pewriter or ball point pen.	PLEASE PRESS FIR	RMLY and PRINT clearly. Ple	ase fill in blanks, u	nderline or circle	the serrect answers. Send top three	ee copies to Kansas Department		
of Healt	h and Environm	ent. Bureau of Water. Too	oeka. Kansas 66620	-0001. Telephone: 913-296-5	545. Send one to \	WATER WELL OW	NER and retain one for your reco	rds.		