

Original Pagerd		ge in Well Use			sion of Water		Well ID		
					irces App. No			1	
1 LOCATION OF WA	AIER WELL:	Fraction 1/4 1/4	1/4 1/4	Secu	ion Number	Township Numbe T S		umber E □ W	
2 WELL OWNER: La	First:		r Rura	1 Address w					
Business:	ist ivallie.	THSt.		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:					
Address:								пеге.	
Address:									
City:	State:	ZIP:			1				
3 LOCATE WELL	/ DEPTH (DE (TOMP) ETELO W/ELL •				ft. 5 Latitude:(decimal degrees)				
WITH "X" IN	Denth(s) Groundwater Encountered: 1)								
SECTION BOX: 2) ft., or 4)									
	WELL'S STATIC WATER LEVEL:				ft. Source for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr				Grant mane, modern				
NW NE	IW NE above land surface, measured on (mo-day-yi				(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	Pump test data: Well w		☐ Land Survey ☐ Topographic Map						
	E afterhours pumping				☐ Online Mapper:				
-Xsw se	vater was ft.								
	gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	in. to ft. and			Source: Land Survey GPS Topographic Map					
mile		in. to ft.			☐ Other				
7 WELL WATER TO BE USED AS:									
1. Domestic:		nter Supply: well II			10. 🔲 Oil	Field Water Supply: lea	ıse		
☐ Household	6. Dewaterin								
Lawn & Garden	echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical					
Livestock	_ ~ ~								
 Irrigation Environmental Remediation: well ID. Feedlot Air Sparge Soil Vapor Ex 				•					
4. ☐ Industrial	☐ Recovery			11					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected?									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible Septic Tank	e contamination: Lateral Line	es 🔲 Pit Priv	78.7	Πт	ivestock Pen	. Incontini	da Storaga		
Sewer Lines	☐ Cess Pool	Sewage			Tuel Storage		ned Water Well		
☐ Watertight Sewer Line					ertilizer Stora	_			
Other (Specify)									
Direction from well?						ft.			
10 FROM TO	LITHOLOG	GIC LOG	FRC	M	TO I	LITHO. LOG (cont.) or l	PLUGGING INT	ERVALS	
N					Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the husiness name	of	1 ms	vvaler we	i NCCO	nu was com	picieu on (mo-day-ye	aı <i>)</i>		
under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html