	WA ⁻	TER WELL REC	ORD Forn	n WWC-5	KSA 82a-	-1212 ID I	No.					
1 LOCATION OF WATER WELL: Fraction					ction Number		nship Numl	ber	Ran	Range Number		
	LINE	NW 1/4	NW 1/4	NE 1/4	•	27	<u> </u>	14	S	R	4W	E/W
Distance and direction		•										
	ST OF INT			CK RD.	AND C	CLOUD S	OUTH S	IDE				
2 WATER WELL OV		AN BHIFF	IPS									
RR#, St. Address, Box		BOX 85						rd of Agric		ision of W	Vater Re	sources
City, State, ZIP Code	: RUSK	IN, NEB.	68974		- 4	() ELEV		lication Nu				
3 LOCATE WELL'S LO												
AN "X" IN SECTION N		Depth(s) Groun WELL'S STATION				t						
1 2	K I											
Pump test data: Well water was2.5											gpm	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well												
W I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
		2 inigation	+ maasti	iai 7 D	oniestic (iai	wir a garden,	TO WIGHTED	ing wen	•••••			
SW SE Was a chemical/hacteriological sample submitted to Department? Ves No. X : If was moletayly resample was sub-												
was a chemical/bacteriological sample submitted to Department: Tes									sample v No	vas sub-		
1	1	miled				•	valer vven Di	isii iieoteu :	Yes X		140	
S												
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)			5 Wrought in 6 Asbestos-		8 Concrete tile CA 9 Other (specify below)			NG JOINT	S: Glued .	, <u>X</u> CI	lamped	
1 Steel 3 RMP (SR) 2 PVC 4 ABS			7 Fiberglass		9 Other (specify below)				Thread	ed		
Blank casing diameter	5	in. to	•									
Casing height above la												
TYPE OF SCREEN O	, ,			7 PVC			os-Cemer					
1 Steel 3 Stainless Steel			5 Fiberglass			MP (SR)		11 Other (
2 Brass	4 Galvanize	ed Steel	6 Concrete t	tile	9 AB	3S		12 None ι	ised (oper	ı hole)		
SCREEN OR PERFO	RATION OPENIN	IGS ARE:			ed wrapped		8 Saw c	ut	1	1 None ((open ho	ole)
1 Continuous slot 3 Mill slot 025 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key nunched 7 Torch cut 10 Other (specify)												
2 Louvered shutte	er 4 Ke	ey punched	·	7 Torch								
SCREEN-PERFORAT	ED INTERVALS:											
GRAVEL PA	ACK INTERVALS:	From		ft. to	6.4	ft., Fron	n		ft. to		•••••	ft.
GHAVEETA	ION INTERVALS.											
						·						
6 GROUT MATERIA		cement	2 Cement	•	3 Ben		4 Other					
Grout Intervals: Fro			ft., Fro	m	ft. t			m				
What is the nearest so	ource of possible of 4 Latera						stock pens			andoned v		ell
1 Septic tank		7 Pit privy		11 Fuel storage			15 Oil well/Gas well					
2 Sewer lines 5 Cess pool				Sewage la	agoon	_						
3 Watertight sew	9	9 Feedyard		13 Insecticide storage How many feet?								
Direction from well?			FDOM		ny teet?	PLUGGING INTERVALS						
FROM TO		LITHOLOGIC	LOG		FROM	ТО		PLUGG	ING INTE	:HVALS		
0 2	TOP SOI											
2 8	1	OWN SILT		DD0::::								
8 64	SAND AN	D GRANEL	MIXED	BROWN							-	
							· · ·					
7		DIO OFFICIONA	TION! This		- /4)			(0)1			-t'-t'	
CONTRACTOR'S Completed on (mo/day/)	JR LANDOWNER $7 - 11 - 11$	AS CERTIFICAT	ION: This wa	ter well was	s (1) constru	ucted, (2) rec	onstructed.	or (3) pluge	ged under	my jurise	diction a	and was
Water Well Contractor's										105	a bellet.	Naiisas
under the business nar							(signature)		Ke	elu		
		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	~			,	- (1			- 7	~~~	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Sept top three copies to Kansar Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.