WATE	R WE	LL RECORD	Form W	WC-5	D	oivision of Wate	er Resources App. N	47,994	
1 LOCATION OF WATER WELL:			Fraction			ion Number	Township No.	Range Number	
County: Saline			1/4 SW 1/4 SE	1/4 SE 1/		1	T 14 S	R 4 □E XW	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
		town or intersection: If at				Latitude: (in decimal degrees)			
5 miles West & 1 mile North of Salina, KS						Longitude: (in decimal degrees)			
1 WATER WELL OWNER						m: WGS 8	4, 🔲 NAD 83, 🗀	NAD 27	
2 WATER WELL OWNER: Bruce Wyatt					Colle	Collection Method:			
RR#, Street Address, Box #: 4401 W. State St.						GPS unit (Make/Model:)			
City, State, ZIP Code : Salina, KS 67401						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL92									
	H AN "A TION BO								
SEC	N								
		WELL S STATIC WATER LEVEL. 25							
	Pump test data: Well water was								
	EST. YIELD300-350m. Well water was								
W	W Bore Hole Diameter 20 in. to 92 ft., and in. to ft.								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)    X   Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
		Irrigation	☐ Industrial ☐	Domestic-la	ıwn & g	arden	onitoring well		
was a chemical/bacteriological sample submitted to Department? Yes X No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel X PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface24									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to 92 ft., From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From							to ft.		
From									
6 GROUT MATERIAL: Neat cement   Cement grout   Bentonite   Other									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: None within 1/4 mile									
				Livestock					
☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well         Direction from well       Distance from well									
FROM	TO	LITHOLOG		FROM	TO			CCDIC DITERVALC	
			ic Log	FROM	10	LITTO. LC	or PLU	GGING INTERVALS	
0	2 3	Topsoil							
3	20	Clay, reddish				-			
20	50	Clay w/streaks of	Sand						
50	60	Sand, fine tan			100.00				
60	80	Clay and sand 80/2							
80	90	Creek gravel, coar	rse/red						
90	92	Shale, gray							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)9/12/12 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No1.38 This Water Well Record was completed on (mo/day/2012) 9/20/12									
		ss name of <b>Peterson</b> I							
INSTRUC	CTIONS:	Use typewriter or ball point pen.	<u>PLĒASE PRESS FIRML</u>	Y and PRINT c	early. Ple	ease fill in blanks	and check the correct	t answers. Send three copies	
(white, blu	ue, pink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	ion, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone	785-296-	5524. Send one copy to WAT	EK WELL OWNER and	retain one for	your reco	rds. Include <u>fee</u>	of \$5.00 for each co	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212									
120U 079.	1414								