			WATE	ER WELL RECORD	Form WWC-5	KSA 82	a-1212		Marie Care Control Con	
at .	ON OF WATI		Fraction		Sec	tion Number			Range Numbe	arth. I
	<u>Saline</u>		NE 1/2	$rac{NE}{2}$ 1/4 $rac{N}{2}$		34	T 14	<u> </u>	R 4	(W)
วเธเลกce ar	ia airection 1			address of Well If loca avaria, KS	ated within City?					
MAZEE	VANCETT CATAL	272 . 13 . 6	schaut	ON CITETION DIO			**************************************	A the side of the state of the	A 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
d .	WELL OWN	001.	Sheridan				Roard of	Agricultura f	Division of Water Res	SOUTCOE
City State	ddress, Box ZIP Code	Salir	19 KS 6	7401			Annlicati	on Number		
LOCATE	WELL'S IC	CATION WITH	DEPTH OF (COMPLETED WELL.	41	ft FIFV	ATION:			
I "X" NA	IN SECTION	BOX:	Depth(s) Ground	dwater Encountered	1. 16½	,, ,, , , , , , , , , , , , , , , , , ,	2	ft. 3		ft.
a f	וֹע ו־	1	WELL'S STATION	WATER LEVEL	.16½ ft. b	elow land su	rface measured	on mo/day/yr	6-13-89	
		0		np_test data: Well w						
	- NW	NE	Est. Yield 20:	−3.9 gpm: Wellw	ater was23.	ft	after	hours pu	mping	. gpm
<u>.</u>			Bore Hole Diam	neter8in.	to 44		and			ft.
* w -		,	WELL WATER	TO BE USED AS:	5 Public wate		8 Air conditioni	-	Injection well	
	- SW	SE	1 Domestic						Other (Specify below	
			2 Irrigation							
Į L		opposition des examinations reconstrations of		/bacteriological samp	le submitted to D					as sub-
Trope	2 2 2 4 4 5 3		mitted	6 Mys. sabt insa	8 Concr		ater Well Disinfer		<u> </u>	
		ASING USED: 3 RMP (SR	n	5 Wrought iron 6 Asbestos-Ceme		ete tile (specify belo		-Professional Control of the Control	ed	
1 Ste 2 PV		4 ABS	'n	7 Fiberglass					aded	
Blank casir	na diameter		in. to 34	ft., Dia	in. to		ft., Dia			
Casina hei	ght above la	nd surface	12.	in., weight 2 .	.91	lbs	/ft. Wall thicknes	s or gauge N	o 265	
		R PERFORATION		,	7 PV			sbestos-ceme		
1 Ste		3 Stainless		5 Fiberglass	8 RN	IP (SR)	11 (Other (specify)		
2 Bra	ass	4 Galvanize	ed steel	6 Concrete tile	9 AE	s	12 N	lone used (op	oen hole)	
SCREEN C	OR PERFOR	ATION OPENING	GS ARE:		uzed wrapped		8 Saw cut		11 None (open ho	le)
1 Co	ntinuous slot	Arytocolyting.	Il slot		re wrapped		9 Drilled hole			
	uvered shutte		y punched		rch cut	<u>.</u> -				
SCREEN-F	PERFORATE	D INTERVALS:		34 ft. tc)		om	ft. 1		ft.
OOTILLETT			400			P. 1000		tı i	la.	
				ft. to						ft.
		CK INTERVALS:	From	2.0 ft. to	, 41	ft., Fr	om	ft. 1	to	ft.
G	RAVEL PAC	CK INTERVALS:	From From	2.0 ft. to	, 41	ft., Fr	om	ft. f	to	ft. ft. ft.
G	GRAVEL PAC	CK INTERVALS:	From From ement	2.0 ft. to)	ft., Fr ft., Fr	om	ft. 1	to to	ftft. ft. ft.
G GROUT Grout Inter	MATERIAL vals: Fron	CK INTERVALS:	From From ement ft. to	2.0 ft. to ft. to 2 Cement grout)	ft., Fr ft., Fr onite 4 to	om	ft. i	to to	ft ft
G GROUT Grout Inter What is the	MATERIAL vals: Fron	CK INTERVALS: 1 Neat con	From From ement ft. to contamination:	2.0 ft. to ft. to 2 Cement grout)	ft., Fr ft., Fr onite 4 to 10 Live	om	ft. 1 ft. 1	toto to ft. to Abandoned water well if well/Gas well	ft ft
G GROUT Grout Inter What is the 1 Se 2 Se	MATERIAL vals: From e nearest so ptic tank wer lines	: 1 Neat con	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage	3 Bento ft.	to11 Fue	om the Other	ft. 1 ft. 1	toto to ft. toto what to the standard to the standa	ft ft
G GROUT Grout Inter What is the 1 Sep 2 Set 3 Wa	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew	CK INTERVALS: 1 Neat conΩ urce of possible of 4 Latera 5 Cess er lines 6 Seepa	From From From From From From From From	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy	3 Bento ft.	to11 Fue 12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	14 A	toto to ft. to Abandoned water well if well/Gas well	ft ft
G GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew-	: 1 Neat con	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om the Other	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft. ft.
G GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew- rom well?	trce of possible of 2 Cess er lines 6 Seepa	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ft.	to11 Fue 12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	14 A	toto ft. to Abandoned water well Dither (specify below)	ft. ft.
GGROUT Grout Inter What is the 1 Sel 2 See 3 Wa Direction fr FROM	MATERIAL vals: From e nearest so ptic tank wer lines atertight sewfrom well?	trop Soil	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Sel 2 Sel 3 Wa Direction fr FROM 0	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	trop Soil Tan Clay	From From ement ft. to contamination: al lines pool age pit LITHOLOGIO	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft. ft.
GGROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction for FROM 0 3 22	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From From From From From From From	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft. ft.
GGROUT Grout Inter What is the 1 Sel 2 Sel 3 Wa Direction fr FROM 0	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to11 Fue 12 Feri 13 Inse	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement of the	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement In to Contamination: The sement The se	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement In to Contamination: The sement The se	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GGROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement In to Contamination: The sement The se	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM 0 3 22 33	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	ck INTERVALS: 1 Neat con	From From The sement In to Contamination: The sement In to Contamination: The sement The se	2.0 ft. to ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Bento ti	to12 Feri	om 4 Other ft., From estock pens I storage dilizer storage ecticide storage	ft. 1 ft. 1	toto ft. to Abandoned water well Dither (specify below)	ft ft
GG GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction for FROM 0 3 22 33 41	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 3 22 33 41 44	ck INTERVALS: 1 Neat con 1 Latera 5 Cess er lines 6 Seepa East Top Soil Tan Clay Gray Sil: Medium Co Gray Sha.	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard CLOG	3 Bento ft.	toft., Fronite 4 to 10 Live 11 Fue 12 Feri 13 Inse How m	om om thornoom thornoom	14 A 15 C 16 C	toto	ft ft ft. II
GG GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction for FROM 0 3 22 33 41	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 3 22 33 41 444	ck INTERVALS: 1 Neat con 1 Neat con 1 Latera 5 Cess of Last Top Soil Tan Clay Gray Sil Medium Con Gray Sha. OR LANDOWNER	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard CLOG CLOG	3 Bento ft. Second of the sec	toft., Fr ft., Fr	om	14 A 15 C 16 C	to	ftftft. II
GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction for FROM 0 3 22 33 41	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 3 22 33 41 44 ACTOR'S Con (mo/day)	ck INTERVALS: 1 Neat con 1 Neat con 1 Latera 5 Cess 1 Cess 1 Cess 1 Cess 2 Latera 5 Cess 2 Cess 3 Cess 4 Latera 5 Cess 6 Seepa 6 Seepa 7 Cess 6 Seepa 7 Clay 6 Cess CR LANDOWNER COR LANDOWNER	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard CLOG eek Sands	3 Bento ft. Sample of the second of the sec	to	constructed, or (cord is true to the	14 A 15 C 16 C 19 PLUGGING 3) plugged ur	to	ft ft ft. II
GROUT Grout Inter What is the 1 Sel 2 Ser 3 Wa Direction fr FROM 0 3 22 33 41	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 3 22 33 41 444 PACTOR'S C on (mo/day.) II Contractor'	I Neat on O	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard CLOG CLOG TION: This water we	3 Bento ft. Sample of the second of the sec	to	constructed, or (cord is true to the don (mo/day/yr)	14 A 15 C 16 C 19 PLUGGING 3) plugged ur	to	ftftft. II
GROUT Grout Inter What is the 1 Sel 2 Set 3 Wa Direction fr FROM 0 3 22 33 41 7 CONTE completed Water Wel under the	MATERIAL vals: From e nearest so ptic tank wer lines atertight sewfrom well? TO 3 22 33 41 444 APA BACTOR'S Con (mo/day.) Il Contractor business na	I Neat con	From From From From From From From From	2.0 ft. to ft. to 2 Cement grout 2.0 . ft., From 7 Pit privy 8 Sewage 9 Feedyard CLOG eek Sands	3 Bento ft. Sample of the state of the stat	to	om	14 A 15 C 16 C 17 PLUGGING 3) plugged ur best of myking	to	ft. ft. ftft. ll