WATER WELL RECORD		rorm w	WC-5	D	division of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Wallace		Fraction NW 1/4 SW 1/4	1/4 1	Sect.	ion Number 28		Range Number R 40 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance of					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: N. 38-48'-27.2"			
					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Anthony Buell RR#, Street Address, Box #: 710 Rd 28				Colle	Collection Method: ☐ GPS unit (Make/Model: Garmin)			
C' C' C' ZID C 1					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State,	zii codo · vvaliace	e, KS 67761	Est. Accuracy:					
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N 4 DEPTH OF COMPLETED WELL 260 Depth(s) Groundwater Encountered (1).213 ft. (2)								
NW W	NE EST. YIELD. So Bore Hole Diam	eter 28 in. toft., andin. toft.						
" - -		ΓO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 200 ft. to 260 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 260 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☑ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
		***************************************		from w	ell286.ft			
FROM TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
0 1	Topsoil		111	115		d white clay	ad alay	
1 23 23 26	Soft tan clay		115	120		emented sand ar	na ciay	
23 26 26 35	Soft red gravel Soft red clay		120	142 195	Soft tan sai			
35 55	Soft red gravel		142 195	205	Soft tan coa			
55 64	Soft red graver		205	215	Soft tan co			
64 79	Soft red and tan gravel		215	216	Soft tan cla			
79 101	Soft red clay			233	Soft tan gravel			
101 108	Soft tan fine sand			236	Soft tan clay			
108 111	Hard white limestone	, ,	233 236	240	Soft black s			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12/12/2012 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 367 This Water Well Record was completed on (mg/day/year) 1/16/2013								
under the business name ofGrosch Irrigation Co. Inc. by (signature)								
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								