

**WATER WELL RECORD Form WWC-5**

Original Record  Correction  Change in Well Use

Division of Water Resources App. No. \_\_\_\_\_

Well ID \_\_\_\_\_

**1 LOCATION OF WATER WELL:** County: Wallace Fraction SW 1/4 SE 1/4 NE 1/4 W 1/4 Section Number 32 Township Number T 14 S Range Number R 40  E  W

**2 WELL OWNER:** Last Name: Cheney First: Mike Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:   
 Business: \_\_\_\_\_  
 Address: 381 CR 14 From intersection of US 40 and KS 27 in Sharon Springs, 6 mi. S, 1.5 mi W, 1.5 mi. S., 15 mi W  
 Address: \_\_\_\_\_  
 City: Sharon Springs State: KS ZIP: 67758

**3 LOCATE WELL WITH "X" IN SECTION BOX:**

N

W	NW	NE	E
	SW	SE	

S

-----1 mile-----

**4 DEPTH OF COMPLETED WELL:** 254 ft.  
 Depth(s) Groundwater Encountered: 1) 204 ft.  
 2) \_\_\_\_\_ ft. 3) \_\_\_\_\_ ft., or 4)  Dry Well  
 WELL'S STATIC WATER LEVEL: 204 ft.  
 below land surface, measured on (mo-day-yr) 7-22-2015  
 above land surface, measured on (mo-day-yr) \_\_\_\_\_  
 Pump test data: Well water was 209 ft.  
 after 1 hours pumping 25 gpm  
 Well water was \_\_\_\_\_ ft.  
 after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Estimated Yield: 50 gpm  
 Bore Hole Diameter: 10 in. to 25 ft. and 9 in. to 254 ft.

**5 Latitude:** 38.792944 (decimal degrees)  
**Longitude:** -101.782582 (decimal degrees)  
**Horizontal Datum:**  WGS 84  NAD 83  NAD 27  
**Source for Latitude/Longitude:**  
 GPS (unit make/model: Garmin GPS 5 (WAAS enabled?  Yes  No)  
 Land Survey  Topographic Map  
 Online Mapper: \_\_\_\_\_

**7 WELL WATER TO BE USED AS:**

1. Domestic:  Household  Lawn & Garden  Livestock  
 2.  Irrigation  
 3.  Feedlot  
 4.  Industrial  
 5.  Public Water Supply: well ID \_\_\_\_\_  
 6.  Dewatering: how many wells? \_\_\_\_\_  
 7.  Aquifer Recharge: well ID \_\_\_\_\_  
 8.  Monitoring: well ID \_\_\_\_\_  
 9. Environmental Remediation: well ID \_\_\_\_\_  
 Air Sparge  Soil Vapor Extraction  
 Recovery  Injection  
 10.  Oil Field Water Supply: lease \_\_\_\_\_  
 11. Test Hole: well ID \_\_\_\_\_  
 Cased  Uncased  Geotechnical  
 12. Geothermal: how many bores? \_\_\_\_\_  
 a) Closed Loop  Horizontal  Vertical  
 b) Open Loop  Surface Discharge  Inj. of Water  
 13.  Other (specify): \_\_\_\_\_

**Was a chemical/bacteriological sample submitted to KDHE?**  Yes  No If yes, date sample was submitted: \_\_\_\_\_  
 Water well disinfected?  Yes  No

**8 TYPE OF CASING USED:**  Steel  PVC  Other \_\_\_\_\_ CASING JOINTS:  Glued  Clamped  Welded  Threaded  
 Casing diameter 5 in. to 254 ft., Diameter \_\_\_\_\_ in. to \_\_\_\_\_ ft., Diameter \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface 24 in. Weight 2.81 lbs./ft. Wall thickness or gauge No. 268  
**TYPE OF SCREEN OR PERFORATION MATERIAL:**  
 Steel  Stainless Steel  Fiberglass  PVC  Other (Specify) \_\_\_\_\_  
 Brass  Galvanized Steel  Concrete tile  None used (open hole)  
**SCREEN OR PERFORATION OPENINGS ARE:**  
 Continuous Slot  Mill Slot  Gauze Wrapped  Torch Cut  Drilled Holes  Other (Specify) \_\_\_\_\_  
 Louvered Shutter  Key Punched  Wire Wrapped  Saw Cut  None (Open Hole)  
**SCREEN-PERFORATED INTERVALS:** From 234 ft. to 254 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
**GRAVEL PACK INTERVALS:** From 28 ft. to 254 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**9 GROUT MATERIAL:**  Neat cement  Cement grout  Bentonite  Other \_\_\_\_\_  
 Grout Intervals: From 28 ft. to 0 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
**Nearest source of possible contamination:**  
 Septic Tank  Lateral Lines  Pit Privy  Livestock Pens  Insecticide Storage  
 Sewer Lines  Cess Pool  Sewage Lagoon  Fuel Storage  Abandoned Water Well  
 Watertight Sewer Lines  Seepage Pit  Feedyard  Fertilizer Storage  Oil Well/Gas Well  
 Other (Specify) New house to be built 250' NE of well \_\_\_\_\_  
 Direction from well? North Distance from well? 2000 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	5	Clay	161	180	sandy clay and sand strips
5	35	limestone	180	195	sand, some small clay strips
35	55	sandy clay	195	210	sand and sandy clay strips
55	57	sand	210	249	sand and gravel
57	83	sandy clay	249	254	shale
83	138	mostly sand, some clay strips			
138	140	hard rock			
140	146	sand and clay strips			
146	161	sand			

**11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:** This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year) 7-21-2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 213 This Water Well Record was completed on (mo-day-year) 7-31-2015 under the business name of Kemp's Well Service Signature \_\_\_\_\_

Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at <http://www.kdheks.gov/waterwell/index.html> KSA 82a-1212 Revised 7/10/2015