

1 LOCATION OF WATER WELL: County: WALLACE	Fraction SE 1/4 SE 1/4 NE 1/4	Section Number 23	Township Number T 14 S	Range Number R 40 E/W
--	----------------------------------	----------------------	---------------------------	--------------------------

Distance and direction from nearest town or city street address of well if located within city?
 4 MILES SOUTH, 1 1/2 MILES EAST, 1/2 MILE SOUTH OF SHARON SPRINGS, KANSAS

2 WATER WELL OWNER: GRANVIEW FARMS
 RR#, St. Address, Box # : 214 E 2ND ST
 City, State, ZIP Code : SHARON SPRINGS, KS 67758
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile W E S	N	4 DEPTH OF COMPLETED WELL . . . 230 . . . ft. ELEVATION:	
	Depth(s) Groundwater Encountered 180 . . . ft. 2 ft. 3 ft.	WELL'S STATIC WATER LEVEL . . . 180 . . . ft. below land surface measured on mo/day/yr	
		Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft.	
WELLS TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well		8 Air conditioning 11 Injection well 12 Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter 18 . . . in. to . . . 230 . . . ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 12 . . . in., weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 230 . . . ft. to 150 . . . ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 230 . . . ft. to 0 . . . ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 6 ft. to 3 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	NONE

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			230	170	WASHED SAND
			170	6	SANDY CLAY
			6	3	BENTONITE
			3	0	TOP SOIL

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . 8/9/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 507 This Water Well Record was completed on (mo/day/year) . . . 8/16/93 under the business name of WESTERN SPRINKLERS, INC by (signature) *Charles J. [Signature]*