WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

							ppeka, Kansas 66620	·	
Location of well:	County	Fraction		Section number		Township number	Range number	Range number	
<u> </u>	Walface \$411/4 5/11 1/4 NW1/4			14		T 14	s R 4/1	<i>54</i> ₩	
2. Distance and direction from nearest town or city: 1 1 5 BC 3. Owner of v					1: Chi	ARLES PEARC	2		
Street address of well location if in city: R.R. or street: City, state, zip code:						C.	1		
4. Locate with "X" i	in section below:	Sketch map:	1//	,	<u></u>	6. Bore hole dia.	n. Completion date	258	
N N						Well depth 2824.	12-15-	78	
†	1					7 Cable tool Rotar	· — —	·	
NW	NE					Hollow rod Jette		Reverse rotary	
W 1	E					8. Use: Domestic	Air conditioning	_ Industry _ Stock	
sw	SE						Oil field water	Other	
						9. Casing: Material 576		or belo w in	
s						RMP PVC	Weight		
5. Type and color of					I -	Dia in. to ft. de Dia in. to ft. de			
3. Type and color of	material	·		From	То	10. Screen: Manufacturer's	name		
Top Se	7/L			0	4	- WH BA	DOWN		
12/11	r - 0	**************************************				Stot/gauze	Dia	0	
CLHY /	TRACE GRAVE.	<u> </u>		30	115	Set between 172	_ft. and _2&	2ft.	
SANdy C	Lny			115	130	Gravel pack? 465 Size	and range of material	1×3/8	
M GRAVE	-1			130	120	11. Static water level:		mo./day/yr.	
M C	1 C 1 Di				150	_67_ft. below land s		1-78	
M GRAVE	el, Soudy Clay			138	158	12. Pumping level below la		ZOQ.p.m.	
SANDY CL	By SANdSTONE			158	180		hrs. pumping	g.p.m.	
M GRAVE	<u> </u>			180	209	Estimated maximum yield		mo./day/yr.	
11 500	1 21				201	Yes X No	Date		
M GKAVE	L CLAY			209	145	14. Well head completion: Pitless adapter	Inches abo		
Chny				245	247	15. Well grouted?	incles doc	ve grade	
M GRAVE	:1		ļ	247	263	With: Neat cement	Bentonite 🔏	_ Concrete	
Ola						·	o		
CLAY				263	272	16. Nearest source of possible ft Direction	Typ		
M GANVEL				272	278	Well disinfected upon comp			
aspe				278	282	17. Pump: Manufacturer's name <i>ÚJC</i>	Not installe	d Rolle	
	BROCK .	20%'		70		Model number 10 M	HP //O	Volts	
		-70				Length of drop pipe 25 5 Type:	ft. capacity	<i>loo</i> g.p.m. (
		· · · · · · · · · · · · · · · · · · ·				Submersible	_X Turk	1	
	(Use a second s	heet if needed)				Jet Centrifugal	Reci Oth	iprocating per 6	
18. Elevation:	19. Remarks:			!		20. Water well contractor's		^ °	
						This well was drilled under		this report	
Topography:						is true to the best of my kno	wieage and pelief.	166 \$	
Hill Slope						Business name	DH.	License No.	
Upland						Address Bill (1)	laxo .	<u>~</u> =	
Valley	***					Signed Authorized	resentative 12	15:78	