WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

| | CBB | | | (Water well Contractors) Topeka, Kansas 66620 | | |
|---|--|-------------|------------------|--|---|-------------|
| 1 ' | Fraction | s | ection number | Township number | Range number | |
| 1. Location of well: Wallace | 1001/4 NW 1/45W | 1/4 | 14 | T 14 S | R 4/1 | * /W |
| 2. Distance and direction from nearest town or city: 3. Oc | | | of well: | harlic Pearc | . e | |
| Sharon Springs Street address of well location if in city: | -1 3/ m l | R.R. or str | _ | l., C | 11.00- | |
| 4. Locate with "X" in section below: Ske | ortch map: | City, sidil | s, 11p code. 3 / | 6. Bore hole dia. 2 in. | Completion date | 758 |
| N | | | | Well depth 245 ft. | 3-18-76 | |
| NW NE | • | | | 7 Cable tool Rotary Hollow rod Jetted | Bored X Reverse | rotary |
| * W | | | | | blic supply Indus r conditioning Stock I field water Othe | · |
| SW SE | | | • | 9. Casing: Material Steel | L'Height: Above a bel | |
| S | | ø | ส | PVC PVC Dia .46 tn; Jo 24.2 ft. dep | _ | |
| 5. Type and color of material | 47.00.1 | ĺ | From To | Dia in. to ft. dept | h gage No | |
| M.Comed. Soul Plan | | | 1000 | 10. Screen: Manufacturer's n | | <u> </u> |
| 1 CRAVEL JANAY CLAY | 1 0: | | 125 /10 | Type LUVER Slot/gauze 2 - 1/8 | _ Dia | |
| FIRE SAND MGRAVEL, SI | andy Clay | ······ / | 10 150 | Set betweenft. a | ft. and 215 | ft. |
| M GRAVEL | 751.55/3 | / | 50 154 | Gravel pack? 455 Size ran | | <u> </u> |
| HARD SANDSTAN | The Commission of the Commissi | - / | 54 157 | 11. Static water level: | face Date 1-5- | |
| M Gravel | | | 57/63 | 12. Pumping level below land | | J.p.m. |
| HARd SANDSTONG | | | 163 166 | ft. after h | 12.57) | J.p.m. |
| MGARUEL TRACE CLAY | | | 166 172 | 13. Water sample submitted: | mo./d | |
| SANDY CLAY, HANDSAND | stone | | 172 177 | 14. Well head completion: | Date | |
| M GRAUOL | | | 177 210 | Pitless adapter 15. Well grouted? 465 | Inches above gr | ode |
| Ochre | | | 10 215 | With: Neat cement Depth: From ft. to | | ncrete - |
| BROCK 3 | 10, | | | 16. Nearest source of possible | contamination: | |
| | | | | ft Direction Well disinfected upon comple | Type NON tion? Yes | ∠ No |
| | | | | 17. Pump: | Not installed | - // ~ |
| | Market . | | | Manufacturer's name Model number | HP <u>100 </u> | 2420 240 |
| | | | | Length of drop pipe 200 Type: | _ ft. capacity 4200 | .p.m. (|
| | | | | Submersible | Turbine | |
| (Use a second shee | et if needed) | | | Jet Centrifugal | Reciproco | ifing & |
| 18. Elevations 19. Remarks: | | | | 20. Water well contractor's of This well was drilled under my | y jurisdiction and this re | eport |
| Topography: | | | | is true to the best of my know Business name Busi | Co Inc 16 | Se No. |
| Stope Uptend | | | | Address Signed Bell College | Kymas | <u> -</u> |
| Valley | | | | Authorized repr | resentative 3-18-7 | \$ |