WATER WELL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. No	, L		
1 LOCATION OF WATER WELL: County: SALINE	Fraction SE 1/4 SE			ion Number	Township No.	Range N	Jumber □E <b>[X</b> W	
Street/Rural Address of Well Location	n: if unknown, distance &	& direction	Glob	al Positioning	System (GPS) in	formation:		
from nearest town or intersection: If at owner's address, check here  INTERSECTION BLOOKVILLE RD4 STATE ST. RD.				Latitude: (in decimal degrees)				
INTERSECTION BEDDEVILLE RUGSIATE STATE			,	Longitude: (in decimal degrees)				
GMILE SOUTH AND YaMINE EAST				Elevation:				
2 WATER WELL OWNER: JON LIND QUIST				Collection Method:				
RR#, Street Address, Box #: 11725 W. 37 H 7 C37.43.				GPS unit (Make/Model:)				
City, State, ZIP Code : Brockville, S. 67425 Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m							Land Survey	
WITH AN "X" IN 4 DEPTH O								
SECTION BOX: Depth(s) Gro	Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL. 30ft. below land surface measured on mo/day/yr. 27-12								
Pump test data: Well water was								
W NW NE EST. FIELD. Later, gpin, wen water was								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes You								
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Signed Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL: .								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot, Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From £1.								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible co	ntamination:							
		Livestock		Insecticide		r (specify	below)	
Sewer lines				Abandoned Oil well/ga				
Direction from well NOET.H. E.		. Distance					•••••	
FROM TO LITHOLO	OGIC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLUC	GGING II	NTERVALS	
	BEODIO HACE							
3 22 CLAY GOLDE	D SILTY					-		
	) MGRAVEL LA	YEES		-				
29 44 CLAY GEAY	SANDSTONE A	Aurac						
III CHAIR C	PAY	LIY CCJ						
71 871122 41								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) 0227								
Kansas Water Well Contractor's License No. 3.6. This Water Well Record was completed on (mo/day/year) 2.37-12 under the business name of PEST in the Pump See by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blants and check the correct answers. Send three correct								
(white, blue, pink) to Kansas Department of Hea	lth and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW Jac	kson St., Shite 420 T	oneka Kan	sas 66612-1367	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								