WATER WELL RECORD		Form WWC-	.5	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: Ellsworth			Fraction		Section Number 24	Township No.	Range Number	
	County: Ellsworth NW ½ NW ½ NE ½ SE ½ Street/Rural Address of Well Location; if unknown, distance & direction						R6 □E ☑W	
					Global Positioning	; System (GPS) in	formation:	
Į.	from nearest town or intersection: If at owner's address, check here .					Latitude: .38.81962633		
NW of Brookville, Kansas					Longitude: 97.9325573 (in decimal degrees) Elevation: 1594			
				Elevation:				
2 WATER WELL OWNER: Bruce H. Wyatt Trust					Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 4401 W. State St.					Collection Method: GPS unit (Make/Model:)			
City State 77D C-1					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Salina. Kansas 67401					Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square > 15 \text{ m}$			
3 LOCATE WELL								
1	H AN "	C'IN 4 DEPTH OF C	COMPLETED WELL!	28	A			
1	SECTION BOX: Depth(s) Groundwater Encountered (1)							
l —	WELL STATIC WATER LEVEL							
	Pump test data: Well water was							
	EST. YIELD. 10-20 gpm. Well water was							
w								
	WELL WATER TO BE USED AS:							
S'	w	SE Domestic	☐ Feedlot ☐ Oil fie	ld water	supply	watering 📈 🧭	Other (Specify below)	
		☐ Irrigation	☐ Industrial ☐ Dome	stic-lawn	& garden	nitoring well?	Stock	
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S	If yes, mo/o	lay/yr sample was submitted	d				
	l mile	Water well disini	fected? 📝 Yes 🗌 No					
5 TYPE OF CASING USED: Steel V PVC Other								
		TS: F Glued Clam	Dulci .			****		
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter . 5 in. to								
Casing neight above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From							o ft.	
GRAVEL PACK INTERVALS: From								
From fit to the From the state of the state								
GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft. From ft. to ft.								
crout intervals: From								
what is the hearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
片	Sewer li			storage	Abandoned v	water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
				stance from	m well	••••••		
FROM	TO	LITHOLOGI	C LOG FRO	M T	O LITHO. LO	G (cont.) or PLUC	GGING INTERVALS	
0	2	Topsoil					****	
2	9	Clay,brown						
9	128	Sandstone						
128	131	Shale, gray						
				_				
				-				
				. 1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged								
under my jurisdiction and was completed on (mo/day/year) .4/1/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year)4/14/2015								
under the business name of Peterson McNett Drilling, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section 1000 SW Jackson St. Suite 420. Toroka Kansas 66612 1267								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html