

**WATER WELL RECORD (WWC-5)**

Constructed

KOLAR DOC ID 1788193 WELL ID \_\_\_\_\_

Original Record  Correction  Change in Well Use

**LOCATION OF WATER WELL**

Latitude	<u>38.807516</u>	Longitude	<u>-98.033846</u>	Section	<u>30</u>	Township	<u>14</u>	Range	<u>6</u>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Fraction	<u>SW</u> ¼ SE ¼ NW ¼
Datum	WGS84	Elevation	<u>1720</u>	County	Ellsworth							

**WATER WELL OWNER**

Name	Grant Glaser
Business	
Address	2273 US-56 Marion KS 66861
Well location	<u>1.75 miles west of 27th Rd on Ave E, then 2050 feet south in Pasture.</u>
<input type="checkbox"/> at owner's address	

**WELL WATER USE**

Domestic Livestock/Pasture

**COMPLETION**

Depth of completed well: 140 ft.  
 Depth(s) groundwater encountered:  
 (1) 105 ft.; (2) \_\_\_\_\_ ft.;  
 (3) \_\_\_\_\_ ft.; (4)  dry well

Static water level in well: 103 ft.  
 measured below land surface on (mm/dd/yy): 07/16/2024  
 measured above land surface on (mm/dd/yy): \_\_\_\_\_

Estimated yield: 20 gpm  
 Water level was: \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Pump installed?  Yes  No

Water well disinfected?  Yes  No  
 Date disinfected (mm/dd/yy): 07/16/2024

Aquifer, if known: \_\_\_\_\_

**NEAREST SOURCE OF POTENTIAL CONTAMINATION**

Source: \_\_\_\_\_  
 Distance from well: \_\_\_\_\_ Direction from well: \_\_\_\_\_  
 Source description: \_\_\_\_\_

Source: \_\_\_\_\_  
 Distance from well: \_\_\_\_\_ Direction from well: \_\_\_\_\_  
 Source description: \_\_\_\_\_

No potential source of contamination within 100 feet.

**CONSTRUCTION**

Borehole interval: from 0 to 140 ft. Borehole diameter: 10 in.  
 from \_\_\_\_\_ to \_\_\_\_\_ ft. \_\_\_\_\_ in.

Casing height above land surface: 12 in.  
 If casing height is less than 12 in. has a variance been approved?  Yes  No  
 \*variance not required for monitoring or environmental remediation wells

Casing type: ThermalPlastic  
 Blank casing interval: 0 ft. to 115 ft.  
 Blank casing diameter: 6 in.  
 Casing joints: Glued  
 Weight: \_\_\_\_\_ lbs/ft.  
 Wall thickness or gauge no.: sdr26

Blank casing interval: 135 ft. to 140 ft.  
 Blank casing diameter: 6 in.  
 Casing joints: Glued  
 Weight: \_\_\_\_\_ lbs/ft.  
 Wall thickness or gauge no.: sdr26

Grout interval: 0 ft. to 20 ft.  
 Grout material: Bentonite  
 Grout interval: 85 ft. to 90 ft.  
 Grout material: Bentonite

Screen / perforation material: PVC  
 Screen / perforation openings: Mill slot  
 Screen / perforation intervals:  
 From 115 ft. to 135 ft.  
 Slot size \_\_\_\_\_ unit \_\_\_\_\_  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Slot size \_\_\_\_\_ unit \_\_\_\_\_

Gravel pack intervals:  
 Gravel pack not used:  Gravel size \_\_\_\_\_ in.  
 From 20 ft. to 85 ft.  
 Gravel pack not used:  Gravel size \_\_\_\_\_ in.  
 From 90 ft. to 140 ft.

**PERMIT & ID NUMBERS (AS REQUIRED)**

DWR Application No.: \_\_\_\_\_  
 KDHE / EPA Project Code: \_\_\_\_\_  
 Site Name: \_\_\_\_\_  
 KDHE UIC Class V Form Completed:  Yes  No  
 County Permit:  Yes  No Permit ID: n/a  
 Lease Name & Well #: \_\_\_\_\_  
 # of boreholes: \_\_\_\_\_ # of dewatering wells: \_\_\_\_\_

**LITHOLOGIC LOG**

FROM	TO	LITHOLOGY INTERVALS
Attach	Attach	Attached

**COMMENTS**

**CONTRACTOR'S OR LANDOWNERS CERTIFICATION**

This water well was constructed  reconstructed  pursuant to the stated water well contractor's license and was completed on 07/16/2024. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 07/25/2024 under the business name of Associated Drilling, Inc. #990, Kansas Water Well Contractor's License No. 990 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Kyler Erickson

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1788193
Well Owner	Grant Glaser
Contractor	Associated Drilling, Inc. #990

Lithology

From	To	Lithology Intervals
0	9	clay
9	12	shale,unweathered
12	14	sandstone,unweathered,SHA LEY
14	31	shale,unweathered
31	45	sandstone,unweathered,SHA LEY
45	92	shale,unweathered
92	101	sandstone,unweathered,SHA LEY
101	133	sandstone,unweathered
133	140	shale,unweathered