

1 LOCATION OF WATER WELL: County: Ellsworth Fraction SE 1/4 SE 1/4 SE 1/4 Section Number 16 Township Number T 14 S Range Number R 8W E/W

Distance and direction from nearest town or city street address of well if located within city?  
6 N, 1 E of Ellsworth, Kansas

2 WATER WELL OWNER: Clarence Nienke  
RR#, St. Address, Box # : Route 1 Board of Agriculture, Division of Water Resources  
City, State, ZIP Code : Ellsworth, Kansas 67439 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram of a 36-acre section box with NW, NE, SW, SE quadrants and an 'X' in the SE quadrant. A 1-mile scale bar is shown to the left.]

4 DEPTH OF COMPLETED WELL: 196 ft. ELEVATION: Unknown  
Depth(s) Groundwater Encountered 1 130 ft. 2 . ft. 3 . ft.  
WELL'S STATIC WATER LEVEL: 130 ft. below land surface measured on mo/day/yr 11/20/91  
Pump test data: Well water was . ft. after . hours pumping . gpm  
Est. Yield: 30 gpm; Well water was . ft. after . hours pumping . gpm  
Bore Hole Diameter: 8 in. to 196 ft., and . in. to . ft.  
WELL WATER TO BE USED AS:  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
Was a chemical/bacteriological sample submitted to Department? Yes . No .; If yes, mo/day/yr sample was submitted .  
Water Well Disinfected? Yes . No .

5 TYPE OF BLANK CASING USED:  
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped .  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded .  
7 Fiberglass Threaded .  
Blank casing diameter: 5 in. to 176 ft., Dia . in. to . ft., Dia . in. to . ft.  
Casing height above land surface: 12 in., weight 2,8 lbs./ft. Wall thickness or gauge No. Sch. 40  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) .  
9 ABS 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
7 Torch cut 10 Other (specify) .  
SCREEN-PERFORATED INTERVALS: From 176 ft. to 196 ft., From . ft. to . ft.  
GRAVEL PACK INTERVALS: From 20 ft. to 196 ft., From . ft. to . ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .  
Grout intervals: From 0 ft. to 20 ft., From . ft. to . ft., From . ft. to . ft.  
What is the nearest source of possible contamination:  
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
13 Insecticide storage In pasture .  
Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	30	Clay			
30	150	Shale			
150	196	Sand rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/20/91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/yr) 12/30/91 under the business name of Kelly's Water Well Service by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4