KOLAR Document ID: 1424877

WATER W		ECORD Correction	Form V					sion of Wate] Well II	<u> </u>	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				FF			e Number						
County: 14 14 14				1/4	Beet	T S R DE W							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unkn									wn, c				
Business:						direction f	rom ne	earest town or	r inte	rsection): If at owner	r's addres	s, ch	neck here: 🗌
Address:													
Address: City: State: ZIP:													
3 LOCATE V	VELL												
WITH "X" IN SECTION BOY. 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)													
SECTION I	BOX:						201810100)						
N	2) ft. 3) ft., or 4) \[\sqrt{1} \] WELL'S STATIC WATER LEVEL:										AD 27		
below land surface, measured on (mo-day-yr							<u>Latitude/Longitude</u> unit make/model:			,			
X-NW	NE				l on (mo-day		(WAAS enabled? Yes No)						
	i	_		ater was ft.				☐ Land Survey ☐ Topographi					,
w	E	after				gpm			Online Mapper:				
SW	SE	aftar											
		Estimated Y		pumping gpm				6 Elevation :ft. ☐ Ground Level ☐ TOC					
S				gpm in. to ft. and				Source: Land Survey GPS			GPS 🔲	Top	ographic Map
1 mile-					. to					Other			
7 WELL WA	TER TO	BE USED A	AS:										
1. Domestic: 5. ☐ Public Water Supply: well ID													
Household					any wells?						•••		
☐ Lawn & G☐ Livestock					well ID)					☐ Uncased ☐ (al: how many bores			
2. ☐ Irrigation					ation: well I								
3. ☐ Feedlot			Air Sparge		Soil Vapor								
4. Industrial			Recovery		Injection					(specify):			
Was a chemic	al/bacteri	ological san	nple subm	itted to l	KDHE?	Yes \square	No	If yes, date	e sar	nple was submitte	d:		
Water well dis					· <u>—</u>	_		J ,		r			
8 TYPE OF O	CASING	USED: □ S	teel PV	C 🔲 Othe	er	C	ASIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ded	☐ Threaded
										in. to			
Casing height ab					ght	lbs	./ft.	Wall thick	kness	or gauge No			
TYPE OF SCI										7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber	C	☐ PVC ☐ None ι	uad (anan	holo)		ner (S	Specify)		•••••	•••••
SCREEN OR					☐ None (iseu (open	noie)						
☐ Continuou		☐ Mill Slot		auze Wrap	ped To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvered		☐ Key Punch						one (Open H					
SCREEN-PER	RFORATE	D INTERVA	ALS: From	1	. ft. to	ft., Fr	om	ft. to	o	ft., From	ft.	to.	ft.
GRAVEL PACK INTERVALS: From ft. to ft. to													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
☐ Other (Specify)													
Direction from well? Distance from well? 10 FROM TO LITHOLOGIC LOG FR									tt. HO. LOG (cont.) or		INIC	INTEDMALC	
10 FROM	10		ATHOLOG	JIC LUG		FRO	VI	TO	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS
													-
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water	Well Cont	tractor's Lice	ense No		This W	ater Well	Reco	ord was coi	mple	eted on (mo-day-y	ear)		
under the busin	ness name	of	****	Tr r 0	ED '			1 5 21		or each <u>constructed</u> we	11	<u></u>	
KS Department	S of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWN Vater: Geol	EK and retain	one for you 000 SW Iac	r recor kson S	as. Fee of \$5 st., Suite 420	1 00.c Tane	or each <u>constructed</u> we eka. Kansas 66612-13 <i>e</i>	л. 57. Telenh	one 1	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							., 120,					

Form	WWC5			
Contractor	Bushell Water Well Service			
Well Owner	Darrell Moyer			
Doc ID	1424877			

Litholgy

From	То	LithologicLog
0	12	dirt
12	15	limestone
15	20	yellow clay
20	90	black shale
90	150	gray clay
150	155	red clay
155	175	white clay
175	200	red clay
200	210	black shale
210	224	gray shale
224	228	sand rock
228	275	gray shale
275	276	sandrock
276	282	gray shale
282	284	sand rock
284	290	gray shale
290	291	sandrock
291	306	gray shale
306	310	sandrock
310	330	gray shale
330	331	sandrock
331	340	gray shale
340	345	sandrock
345	350	gray shale

Form	WWC5			
Contractor	Bushell Water Well Service			
Well Owner	Darrell Moyer			
Doc ID	1424877			

Litholgy

From	То	LithologicLog
350	352	sandrock
352	360	gray shale