

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Dickinson, Fraction N 3/4 NE 1/4 NE 1/4, Section Number 32, Township Number T 15 S, Range Number R 1 E/W\*, Distance and direction from nearest town or city street address of well if located within city? 797 Camp Rd, Carlton, Kansas

2 WATER WELL OWNER: Lyle Glahn, RR#, St. Address, Box #: 797 Camp Rd, City, State, ZIP Code: Carlton, Ks 67448, 3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram], 4 DEPTH OF COMPLETED WELL: 38 ft., Depth(s) Groundwater Encountered (1) 14 ft. (2) 20 ft. (3) ... WELL'S STATIC WATER LEVEL: 10 ft. below land surface measured on mo/day/yr 9/10/10...

5 TYPE OF CASING USED: 5 Wrought Iron, 8 Concrete tile, CASING JOINTS: Glued, Clamped, 1 Steel, 3 RMP (SR), 6 Asbestos-Cement, 9 Other (specify below), Welded, U 2 PVC, 4 ABS, 7 Fiberglass, Threaded, Blank casing diameter 5 in. to 38 ft., Diameter, Casing height above land surface 30 in., Weight 200 lbs./ft., Wall thickness or guage No. 250, TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, 7 PVC, 9 ABS, 11 Other (Specify), 2 Brass, 4 Galvanized Steel, 6 Concrete tile, 8 RM (SR), 10 Asbestos-Cement, 12 None used (open hole), SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 3 Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole), 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 8 Saw Cut, 10 Other (specify), SCREEN-PERFORATED INTERVALS: From 18 ft. to 38 ft., GRAVEL PACK INTERVALS: From 10 ft. to 38 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other, Grout Intervals: From 0 ft. to 10 ft., What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, 16 Other (specify), 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 14 Abandoned water well, below, 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer Storage, 15 Oil well/gas well, Direction from well? SOUTHEAST, How many feet? 110

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-3 DARK TOP SOIL, 3-6 LITE DARK CLAY, 6-10 BROWN CLAY, 10-14 LITE GRAY CLAY, 14-20 GRAY SHALE & CLAY, 20-38 GYPSUM ROCK & GRAY SHALE.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/10/10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 397. This Water Well Record was completed on (mo/day/year) 9/18/10 under the business name of CENTRAL KANSAS DRILLING by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.