WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: CALINE		Fraction SF 4 SE 4 SE	-14. SF.14	Section Number		Range Number R	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning			
from nearest town or intersection: If at owner's address, check here							
8587 E, 4TN			Latitude:				
				Elevation:			
2 WATER WELL OWNER: JEFF KNOFF RR#, Street Address, Box #: 8587 E, 475				Collection Method:			
RR#, Street Address, Box #: #3 / E. 4				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code	GYPS	um Ks Le	17447	Est. Accuracy: <	oto, ☐ Topographic 3 m, ☐ 3-5 m, ☐	S Map, ∐ Land Survey 5-15 m,  □ >15 m	
3 LOCATE WELL	1	•					
WITH AN "X" IN	4 DEPTH OF (	COMPLETED WEL	L	ft.			
SECTION BOX:	4 DEPTH OF COMPLETED WELL  OX: Depth(s) Groundwater Encountered  (1) ft.  (2) ft.  WELL'S STATIC WATER LEVEL  ft. below land surface measured on mo/day/yr 04-12-11						
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. U						
Pump test data: Well water wasft. after hours pumping							
EST. YIELDgpm Well water was							
W         E   Bore Hole Diameter							
WELL WATER TO BE USED AS:							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department?  Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? ▼ Yes □ No							
5 TYPE OF CASING USED:  Steel  PVC  Other							
CASING JOINTS:  Glued  Clamped  Welded  Threaded							
Casing diameter							
Casing diameter in. to							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot Mill slot, AS ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank  Sewer lines  Lateral lines  Pit privy  Livestock pens  Insecticide storage  Other (specify below)  Sewer lines  Abandoned water well							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
Direction from well		it recayara		from well		•••••	
FROM TO	LITHOLOG	IC I OG	FROM			GGING INTERVALS	
0 4 TOP	SOIN BE	0.0) #)	TROM	TO EITHO. Ec	od (cont.) of 1 LO	OGING INTERVALS	
11 8 010	Y BLACK	0000					
7 46 CLH							
CA 17 CAF		CRY SILTY					
19 31 CLA	- A	GRAY					
31 40 CEE	EK GPAUL						
40 41 546	ALE GRA	<u> </u>					
					V 11/1/10/2		
						40-44-1-44	
			<u> </u>		7.000	774 88 20 4 400	
5 CONTRACTORIS OF	D. I. AND ON MIED	10 CEPTIFIC ATIO	N. 771:				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) (2.4							
Kansas water well Contractor's License No. 2.2. Ihis water well Record was completed on (mo/day/rear) 2.4.							
under the business name of PESTINGIA. P. U.M.P U.E.RVILL. by (signature							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson/St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Ser							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							