WATER WELL RECORD	Form V	Form WWC-5		on of Water	Resources App. No	o. 201302	222	
1 LOCATION OF WATER W	VELL: Fraction	Fraction		Y-14-7-1			umber	
County: Russell	C 1/4 E /2 1/4 SI				T 15 S		□E <b>☑</b> W	
Street/Rural Address of Well Location; if unknown, distance & direction					System (GPS) in			
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)				
12 South, 1/2 East of Bunker Hill				Longitude: (in decimal degrees)				
				Elevation:				
2 WATER WELL OWNER: RJM Oil				Collection Method:				
RR#, Street Address, Box #: P.O. Box 256			GPS	GPS unit (Make/Model:)				
City, State, ZIP Code : Claffin, KS 67525				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL			Est. Accu	<u>ıracy: [] &lt; </u>	3 m, [_] 3-5 m, [_]	5-15 m, L	] >15 m	
	PTH OF COMPLETED WE	LL 372		ft.			ļ	
N WELI	N WELL'S STATIC WATER LEVEL. 152ft. below land surface measured on mo/day/yr. 3-21-13							
Pump test data: Well water wasft. after hours pumping gp.								
EST. YIELD. N/Agpm. Well water was							gpm	
W   Bore Hole Diameter 10 in. to .372 ft., and							**	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE								
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .3/2 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From372 ft. to332 ft., From ft. to ft.								
From 312 ft. to 302 ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 372 ft. to 20 ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From	ft. to ft., Fro	<sub>om .</sub> 20	. ft. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination:								
Septic tank  Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None								
	ITHOLOGIC LOG	FROM			OG (cont.) or PLU			
0 4 Top soil		363	372 G	Gray shale				
4 35 Yellow shale								
35 112 Black shale &	limestone						777	
112				=				
159 186 White clay								
186 290 Fire clay	Sandy gray shale				······································			
	Sandy gray shale Sandstone							
	Fire clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .3-21-13 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 4-4-13								
under the business name of Rosencrantz-Bemis by (signature)								
INSTRUCTIONS: Use typewriter or b	ball point pen. PLEASE PRESS FIRM	ILY and PRINT	learly. Please	fill in blanks	and check the correct	et answers. S	end three copies	
(white, blue, pink) to Kansas Depar time Telephone 785-296-5524. Send one co	one of Health and E nyironment, Burea	uu of Water, Geo diretain one for	Nour records	1000 SW Jac	ckson St., Suite 420,	Topeka, Kan	sas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								