KOLAR Document ID: 1591604

	WELL R	ECORD Correction		WWC-5 e in Well Use			vision of Wate sources App. N			Well I	_ [
			Fraction			ection Number					ge Number			
County:					1/4		±					$\Box E \Box W$		
2 WELL	st Name:	Street or R	tet or Rural Address where well is located (if unknown, distance and											
Business:						direction from	nearest town or	inte	rsection): If at owner	r's addre	ss, c	heck here:		
Address:														
Address: City:			State:	ZIP:										
3 LOCATI	E WELL													
WITH "				IPLETED WEI										
SECTIO	N BOX:			Encountered: 1)					e:					
N	1	2) ft. 3) ft., or 4) \(\begin{aligned} WELL'S STATIC WATER LEVEL:							WGS 84 □ NAI		_ N.	AD 27		
	WELL'S STATIC WATE							Latitude/Longitude	•		,			
NW	NF			measured on (mo				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
	ī	Pump test d	ata: Well w	ater was	f	t.	L							
w	E after hours			s pumpinggpm				Online Mapper:						
	SE	-6		vater was ft.										
	X afterhours			pumping gpm			6 Eleva	tion	und	Level 🗌 TOC				
	S		Yield:gpm Diameter:in. to			ft. and								
1 n				in. to										
7 WELL V	WATER TO	BE USED A	AS:											
1. Domestic:				ter Supply: well I					eld Water Supply: 16					
Housel				g: how many well										
☐ Lawn &				echarge: well ID.					☐ Uncased ☐ 0					
Livesto 2. Irrigation					well ID Remediation: well ID				al: how many bores Loop Horizont					
3. ☐ Feedlo] Air Sparge						Loop					
4. ☐ Industr			Recovery		☐ Injection				(specify):					
Was a cher	nical/bacter	iological san	nnle subm			Yes □ No								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:														
				C □ Other		CAS	NG JOINTS	: Г	Glued Clamped	∃ ∏ We	lded	☐ Threaded		
									in. to			_		
Casing heigh	nt above land s	urface	in	. Weight					s or gauge No					
	SCREEN OR		ΓΙΟΝ MA											
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)														
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:														
	nuous Slot	Mill Slot			□та	rch Cut	Drilled Holes		Other (Specify)					
_							None (Open H							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										ft.				
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.														
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other														
Grout Intervals: From ft. to ft., From ft., From ft. to ft.														
	rce of possible			potential source o										
☐ Septic 7			Lateral Line Cess Pool	s] Livestock Pe] Fuel Storage		☐ Insection ☐ Abando			(/a11		
	ines ght Sewer Lin			☐ Feedy			Fuel Storage Fertilizer Sto					ren		
							J r erunzer bu	ruge		11/ 003 **	CII			
Direction fro	om well?			Distance fro	om w	ell?			ft.					
10 FROM	TO	I	ITHOLOG	GIC LOG		FROM	TO	LIT	HO. LOG (cont.) or	PLUGO	ίΝC	INTERVALS		
						-	+				—			
							+ +							
							+ +							
						Notes:	1							
						1_					_			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged														
under my jurisdiction and was completed on (mo-day-year)														
Kansas Wat	ter Well Con	tractor's Lice	ense No	Thi	s Wa	ner well Re	ecora was coi	nple	eted on (mo-day-y	ear)	• • • • •	•••••		
under the Di	usiness name	Send one copy to	o WATER W	ELL OWNER and re	etain (one for your re	cords. Fee of \$5	5.00 f	or each <u>constructed</u> we	ell.	••••			
KS Departn	nent of Health ar	nd Environment	, Bureau of V	Vater, Geology Section	on, 10	000 SW Jackso	n St., Suite 420,	Торе	eka, Kansas 66612-136	57. Telep!	hone	785-296-3565.		
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212														

Form	WWC5
Contractor	Bushell Water Well Drilling and Service
Well Owner	Frank Weber
Doc ID	1591604

Lithology

Littlology		
From	То	LithologicLog
0	12	dirt
12	18	limestone
18	28	yellow clay
28	38	gravel
38	40	dark gray clay
40	41	sandrock
41	44	gray shale
44	61	light gray clay
61	62	sandrock
62	98	gray clay
98	104	red clay
104	116	light gray clay
116	120	sandrock
120	124	gray and red clay mix
124	138	sandrock
138	140	gray clay
140	155	red clay
155	160	dark gray clay
	•	