			14/47	ren well e		F 1404/0	5 KOA 00-	1010		0035	
LOCATION	OF WAT	TER WELL:	Fraction	rer well f	RECOHD	Form WWC-	5 KSA 82a- ection Number		Number	Range Nu	mber
ounty: Ru				1/4 NW	1/4 SW	1/4	11	т 15		R 15	R/W
		from nearest town	or city street			within city?					
3	miles	North, 3 mi	les West	. 1/2 m	ile Nort	h of Mi	llberger,	Kansas			
		NER: Elroy D									
		x#: Rt 1						Board o	of Agriculture,	Division of Water	Resource
ty, State, Zi			, Kansas	67665				Applica	tion Number:	_	
W X TYPE OF 1 Steel 2 PVC	SECTION NW SW BLANK C	OCATION WITH 4 N BOX: N W NE I BC W CASING USED: 2 3 RMP (SR) 4 ABS	DEPTH OF epth(s) Groun FELL'S STAT Pun st. Yield	COMPLETE Indwater Ence IC WATER I Imp test data 20 gpm Imeter 10 . I TO BE USI IC 3 F IN 4 In Indi/bacteriolog 5 Wroug 6 Asbest 7 Fibergi	ED WELL countered 1. EVEL : Well wate : Well watein. to . ED AS: 1 eedlot industrial ical sample s ht iron tos-Cement lass	58 ft. r was 64 5 Public wat 6 Oil field w 7 Lawn and ubmitted to I	below land surf 47 ft. af ft. af ft., af ft., af er supply garden only 10 pepartment? Ye Wat rete tile	ace measured ter ter 8 Air condition 9 Dewatering 0 Monitoring s No er Well Disinfe CASING	ft. 3 I on mo/day/yr hours pu hours pu hours pu in 11 12 well X; If yes ected? Yes Veld Three	4/12/91 Imping 20 Imping 20 Imping 30 Injection well Other (Specify both should be sho	gprft.
		$. \ 5. \ \dots \ \dots \ . \ . \ . \ . \ . \ . \$									
sing height	t above la	and surface24		in., weigh	ıt 2 . 2 9 .		, Ibs./f	t. Wall thickne	ss or gauge N	lo • 2.6	
PE OF SC	REEN O	R PERFORATION N	ATERIAL:	7		7 P	<u>/C</u>	10 /	Asbestos-ceme	ent	
1 Steel		3 Stainless steel		5 Fibergl	5 Fiberglass 8 RMP			P (SR) 11 Other (specify)			
2 Brass		4 Galvanized		6 Concre	ete tile	9 AI	38	12	None used (or	en hole)	
REEN OR	PERFOR	RATION OPENINGS	ARE: 8		5 Gauze	d wrapped		8 Saw cut		11 None (open	hole)
1 Continuous slot 3 Milf sl			slot		6 Wire v	vrapped	•				
2 Louve	ered shutt	er 4 Key _l	punched		7 Torch				• •		
		ED INTERVALS:	From		ft. to	64	ft., Fron	1	ft. t	o	f
CDOUT	ATERIA						ft., From			о	
		.: 1 1 Neat cem			_						
		mg ft.									
		ource of possible cor 4 Lateral I									well
1 Septic tank 4 Lateral li 2 Sewer lines 5 Cess po			' '			on	<u>-</u>			il well/Gas well ther (specify belo)
		er lines 6 Seepage			Sewage lago Feedyard	OI I		cer storage	10 C	other (specify belo	, ,,,
ection from		o mos o deepage	, più	3	r eeuyaru		How man	_			
ROM	TO		LITHOLOGIC	C LOG		FROM	TO	y loot:	PLUGGING I	NTERVALS	
0	4	Topsoil				1	1			-	
Δ	14	Sand					1				

7								ours pumping gpn		
w		<u> </u>	Bore Hole Diam	eter10 in. to	64		and	in. to		
**	x!	! !,	WELL WATER	TO BE USED AS: 1			8 Air conditioning			
	SW	SE	1 Domestic	_ 3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)		
	1	1 1	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	,		
	1		Was a chemical	bacteriological sample	submitted to De	partment?	YesNoX	; If yes, mo/day/yr sample was su		
	S		mitted				ater Well Disinfected?			
TYPE	OF BLANK C	ASING USED:	2	5 Wrought iron	8 Concre			S: Glued .xClamped		
	1 Steel 3 RMP (SR))	6 Asbestos-Cement		specify belo	ow)	Welded		
	VC	4 ABS		7 Fiberglass				Threaded		
								in. to f		
				.in., weight $2 \cdot 2^{\circ}$			·	gauge No • 2.6		
	PE OF SCREEN OR PERFORATION MATERIAL: 7				7 PV		10 Asbestos-cement			
	1 Steel 3 Stainless steel			•				er (specify)		
	2 Brass 4 Galvanized steel		6 Concrete tile	9 ABS			e used (open hole)			
CREEN OR PERFORATION OPENINGS ARE: 8		5 Gauzed wrapped			8 Saw cut	11 None (open hole)				
1 Continuous slot 3 Mill slot				wrapped		9 Drilled holes				
	ouvered shutt		y punched	7 Torc			10 Other (specify)			
CREEN	I-PERFORATE	D INTERVALS:	-	_				ft. to		
								, ft. to		
	GRAVEL PAG	CK INTERVALS:		7				ft. to		
				ft. to						
		1 Neat ce		2 Cement grout				.,		
					ft. t			ft. to		
		urce of possible o					•	14 Abandoned water well		
	eptic tank	4 Latera		7 Pit privy			11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lag	goon	12 Fertilizer storage 16 Other (specify below)				
	_	er lines 6 Seepa	ge pit	9 Feedyard						
ROM	from well?		LITHOLOGIC	100	FROM	How m	any feet?	GING INTERVALS		
0	4	Topsoil	LITTIOLOGIC	LOG	FROM		1 200	IGING INTERVALS		
4	14	Sand								
4	58	Blue Clay								
58	64		sandstone							
<u> </u>	1 7 1	Dana ana	banascone							

under the business name of Karst Water Well Drilling & Service, Inc. by (signature)

of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department

County: Russell

City, State, ZIP Code