			WATI	ER WELL RECORD	Form WWC-5	KSA 82a	-1212		
LOCATION	ON OF WAT		Fraction	om om		tion Number	Township Nur		Range Number
County:		Ellis	NE 1/		1/4	9	T 15	S	R TO ₹W
				address of well if locate	a within city?				Ì
			toria, Kan	sas					
_	WELL OW		. Vonfeldt				D	.:	data a stanta a Bassana
	Address, Box		l. 1	ana 67671				•	vision of Water Resources
	ZIP Code			sas 67671	200		Application		
B LOCATE AN "X"	: WELL'S LO IN SECTION	OCATION WITH N BOX:							
- C		<u> </u>		C WATER LEVEL . 12					
1	i								ping gpm
-	- NW	NE							ping gpm
' l	!	!	Est. Yield . ZC	7 gpm: vveii wate	erwas	π. a	πer	hours pur	ping gpm : to
# w -				_					
_	- ; 1				5 Public wate		8 Air conditioning		jection well
] -	- sw	SE	1 Domestic	****	6 Oil field wat		9 Dewatering		ther (Specify below)
1 1	1	! X	2 Irrigation		-	•	0 Observation well		
Į ∟				i/bacteriological sample :	submitted to De			=	no/day/yr sample was sub-
- -	<u> </u>		mitted				ter Well Disinfected		
		ASING USED:	2	5 Wrought iron	8 Concre				X . Clamped
1 Ste		3 RMP (S	iR)	6 Asbestos-Cement		(specify below			1
2 PV		4 ABS	п	7 Fiberglass				Thread	ed
									. to ft.
-	_			in., weight∠V.U					21
		R PERFORATIO		<i>(</i>	7 PV			stos-cemen	ľ
1 Ste		3 Stainles		5 Fiberglass		IP (SR)			
2 Bra	-	4 Galvaniz		6 Concrete tile	9 AB			used (ope	′
		ATION OPENIN	•		ed wrapped		8 Saw cut		11 None (open hole)
	ntinuous slo		fill slot		wrapped		9 Drilled holes		
	vered shutt		ey punched	7 Torch	200		10 Other (specify)		
SCREEN-P	ERFORATE	ED INTERVALS:		•		π., ⊢ror	n	π. to	ft.
						4			
_	DAME: DA	014 INSTERNALO	From	100 # 45		ft Fror	n	ft. to	π
G	RAVEL PAG	CK INTERVALS:	From	. 100 ft. to	200	ft., Fror ft., Fror	n	ft. to	
_			From	. 100 ft. to ft. to	200	ft., Fror ft., Fror ft., Fror	n	ft. to ft. to	
6 GROUT	MATERIAL	: 1 1 Neat	From	100 ft. to ft. to	200 3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. to	ft. ft.
GROUT	MATERIAL vals: Fron	: 1 <u>1 Neat</u>	From From cement .ft. to	2 Cement grout	200 3 Bento	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to	ftft.
GROUT Grout Inter What is the	MATERIAL vals: From	: 1 1 Neat	From From cement ft. to	100 ft. to ft. to 2 Cement grout 1 ft., From None	200 3 Bento	ft., Frorft., Fror ft., Fror nite 4 to	n Other ft., From ock pens	ft. to ft. to	ft. to
GROUT Grout Inter What is the	MATERIAL vals: From enearest so	: 1 1 Neat	From	2 Cement grout 1 ft., From None 7 Pit privy	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest	nn Otherft., From sock pens storage	ft. to ft. to ft. to 14 Aba 15 Oil	ft. toft. andoned water well well/Gas well
GROUT Grout Inter What is the 1 Sep 2 Sec	MATERIAL vals: From e nearest so otic tank wer lines	urce of possible 4 Later	From From cement .ft. to	2 Cement grout 1ft., From None 7 Pit privy 8 Sewage lage	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s	n	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well er (specify below)
GROUT Grout Inter What is the 1 Ser 2 Ser 3 Wa	MATERIAL vals: From e nearest so otic tank wer lines stertight sew	: 1 1 Neat	From From cement .ft. to	2 Cement grout 1 ft., From None 7 Pit privy	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well
GROUT Grout Inter What is the 1 Sep 2 Sec 3 Wa Direction fr	MATERIAL vals: From e nearest so otic tank wer lines stertight sew-	urce of possible 4 Later	From From cement .ft. to	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the 1 Ser 2 Ser 3 Wa	MATERIAL vals: From e nearest so otic tank wer lines stertight sew	urce of possible 4 Later	From From cement .ft. to	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil 16 Oth	ft. to
GROUT Grout Inter What is the 1 Set 2 Set 3 Wa Direction fr FROM 0	MATERIAL vals: From e nearest so otic tank wer lines stertight sew- com well?	urce of possible 4 Later 5 Cess er lines 6 Seep	From From cement .ft. to	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the 1 Ser 2 Ser 3 Wa Direction fr	MATERIAL vals: From e nearest so otic tank wer lines stertight sew om well?	urce of possible 4 Later 5 Cess er lines 6 Seep	From From cement .ft. to	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 14	MATERIAL vals: From e nearest so otic tank wer lines stertight sew om well? TO 4 18 110	tropsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See What Grout Inter What is the See See What Grout Grou	MATERIAL vals: From enearest so otic tank wer lines atertight sew om well?	urce of possible 4 Later 5 Cess er lines 6 Seep Topsoil	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 14	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See What Grout Inter What is the See See What Grout Grou	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the See See GROUT FROM O 4 18	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 4 18 110	Topsoil White ro	From	2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil	ft. to
GROUT Grout Inter What is the Separate of the	MATERIAL vals: From enearest so otic tank wer lines atertight sew to well? TO 1.8 1.10 1.58 2.00	Topsoil White ro	From From From Cement If. to contamination: ral lines is pool bage pit LITHOLOGIC DCK	100 ft. to ft. to 2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n Other	14 Aba 15 Oil 16 Oth	ft. toft. andoned water well well/Gas well er (specify below)
GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM 0 14 18 110 158	MATERIAL vals: From enearest so otic tank wer lines stertight sew to well? TO 1.8 110 1.58 200	Topsoil White ro	From Cement If to July Contamination: ral lines is pool page pit LITHOLOGIC DCK R'S CERTIFICAT	100 ft. to ft. to 2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard CLOG	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n Other	ift. to ft. to f	ft. toft. andoned water well well/Gas well er (specify below) C LOG
GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM 0 14 18 110 158	MATERIAL vals: From enearest so otic tank wer lines atertight sew to well? TO 14 18 110 158 200 ACTOR'S Con (mo/day/	Topsoil. White rosale Soapston Sand	From Cement If to 14 contamination: ral lines s pool page pit LITHOLOGIC DCK R'S CERTIFICAT 30, 1986	100 ft. to ft. to 2 Cement grout 1 ft., From Nome 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	3 Bento ft. FROM FROM (as (1) construction	ft., Frorft., Fror ft., Fror ft., Fror nite 4 to	n Other	ift. to ft. to f	ft. to
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 14 18 110 158 7 CONTR completed Water Well	MATERIAL vals: From nearest so otic tank wer lines stertight sew om well? TO 14 18 110 158 200 MACTOR'S Con (mo/day/	ropsoil White roshale Soapston Sand OR LANDOWNE year) June s License No.	From Cement It to III contamination: ral lines s pool page pit LITHOLOGIC DCk R'S CERTIFICAT 30, 1986	100 ft. to ft. to 2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	3 Bento ft. FROM FROM (as (1) construction of the construction	tted, (2) reco	n Other	ift. to ft. to f	ft.
GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 14 18 110 158 7 CONTR completed Water Well	MATERIAL vals: From nearest so otic tank wer lines stertight sew om well? TO 14 18 110 158 200 MACTOR'S Con (mo/day/	ropsoil White roshale Soapston Sand OR LANDOWNE year) June s License No.	From Cement It to III contamination: ral lines s pool page pit LITHOLOGIC DCk R'S CERTIFICAT 30, 1986	100 ft. to ft. to 2 Cement grout 1 ft., From None 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	3 Bento ft. FROM FROM (as (1) construction of the construction	tted, (2) reco	n Other	ift. to ft. to f	ft.
GROUT Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM 0 14 18 110 158 7 CONTR completed Water Well under the 1	MATERIAL vals: From e nearest so oftic tank wer lines stertight sew om well? TO 18 110 158 200 MACTOR'S Con (mo/day/ Contractor' ousiness nai	Topsoil White ro Shale Soapston Sand DR LANDOWNE year) June s License No. me of Karst	From Cement It to 14 contamination: ral lines s pool page pit LITHOLOGIC DCK R'S CERTIFICAT 30, 1986 199	100 ft. to ft. to 2 Cement grout 1 ft., From Nome 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	200 3 Bento ft. oon FROM vas (1) construit veil Record was any. Please fill in	tt., Fror ft., F	n Other	ift. to ft. to f	ft.