WATE	R WEI	LL RECORD	Form WW	VC-5	Division of Water	r Resources App. No		
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
Coun		llis	1/4 NW 1/4 SW	1/4 SE 1/4	16	<u> </u>	R 19 □E 🖾 W	
		Address of Well Location;			Global Positioning			
пош	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
2W,2S of Antonino, KS					Elevation: (in decimal degrees)			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Harold Kraus					Collection Method:			
RR#, Street Address, Box #: City, State, ZIP Code : 977 Chetola Gold					GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey			
City,	, blate, z	Hays,	KS 67601		Est. Accuracy: \square <			
3 LOC	ATE WE	LL			7	, <u>L.</u> , <u>L.</u>	lourd .	
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL18ft. below land surface measured on mo/day/yr.10/.27./.10 Pump test data: Well water was							
'	EST. YIELD. 15gpm. Well water was							
w NV	v N	E Bore Hole Diam	eterin. to	ft	., andin.	to	t.	
	$\overline{}$		TO BE USED AS:					
sw	SW - SE -							
	The state of the s							
	Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
	1 mile		fected? 😧 Yes 🔲 N					
f TX/DI	OFC							
		SING USED: Steel			••••	•••••		
CASING JOINTS: X Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From1.4								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From131/2 ft. to								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft. to ft. to ft. to ft. to ft.								
Grout Intervals: From ft. to								
	Septic ta			Livestock p	ens 🔲 Insecticide	storage Othe	er (specify below)	
	Sewer lir			Fuel storage				
		ht sewer lines Seepage p		Fertilizer sto			in-pasture	
FROM	TO	n well LITHOLOG		FROM	rom well TO LITHO. LO		GGING INTERVALS	
0	3	top soil	IC LOG	TROM	TO LITTO. LA	od (cont.) or FLO	JOING INTERVALS	
3	16	clay						
16		² sand and gravel			Crout va	mianco callo	d for and receive	
18 1/	2 24	shale						
					TI OIII KIC	hard Harper	KUHE	
7 CONT	DACT	D'S OD I ANDOWNED	VS CEDTIFICATION	. This water	well was 🖼 const-	noted [] reconstru	usted or D rhygged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)10/27/.10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year)11/03/10								
under the	e busines	ss name of .Kel.ly.'sWa	ter.Well.Service	aI.nc	by (signature)	athum !	3 2000	
INSTRUC	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRMLY	nd PRINT clea	rly. Please fill in blanks	and check the correct	answers. Send three copies	
	(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							