				R WELL RECORD	Form WWC-5			Alama Israel		Ali seels e e
_	ON OF WAT		Fraction	CIJ 4 3717		tion Number	1 .	Number	-	Number 2 E/W
County:	SALINE		SE 1/4	SW 14 NW address of well if locate		18	<u> </u>	5 S		<u> </u>
Distance a		701 S. OHI			a main ony:	SALTNE	COUNTY P	ERMIT # 9	9-207	
al		·		OADGE		Senting.	COUNTY I		, ~~ ;	
			END GOLF C	CARDE			Board	of Agriculture, D	livision of M	ater Resource
		* : 4701 S			•			•	DIVISION OF W	ater nesources
City, State	, ZIP Code	SALINA	KS. 67401		***			tion Number:		1
AN "X"	IN SECTION	DCATION WITH N BOX:	Depth(s) Ground	COMPLETED WELL	19	ft. ELEVA ft. 2	TION:	ft. 3.	5-18-6	oo
Ī		- NE	Pum	p test data: Well wat	er was19).•.⇔ ft. a	fter	hours put	mping	25gpm
			Est. Yield 10	00 gpm: Well wat eterin. to	erwas . Kli	ft. a	fter	hours put	mping	gpm
i w ⊢	X ₁	E							to	
[≥ "	!	! ! !	WELL WATER	TO BE USED AS:			8 Air condition	•	Injection we	!
lī I.	- SW	SE	1 Domestic				9 Dewatering		Other (Spec	• • •
	ï	Ī	2 Irrigation	4 Industrial				well		
L	1	1	Was a chemical	bacteriological sample	submitted to D				T	ample was sub-
<u> </u>			mitted				ter Well Disinfo		A No	
5 TYPE C	OF BLANK (CASING USED:		5 Wrought iron	8 Concre			JOINTS: Glued	I <mark>.</mark> Cla	mped
1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	v)	Welde	∍d	
2 PV		4 ABS	1.0	7 Fiberglass				Threa		
Blank casi	ng diameter	>	.in. to 4.3.	ft., Dia	in. to		ft., Dia	i	in. to	ft.
Casing hei	ight above la	and surface	' 1 'ο΄'''''	.in., weight	TÒÒ	Ibs./	ft. Wall thickne	ss or gauge No	o Shir	¢0
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 PV			Asbestos-ceme		
1 Ste	eel	3 Stainless		5 Fiberglass	8 RM	IP (SR)	11	Other (specify)		
2 Bra	ass	4 Galvaniz	zed steel	6 Concrete tile	9 AB	S	12	None used (ope	en hole)	
SCREEN (OR PERFOR	RATION OPENIN		5 Gauz	ed wrapped		8 Saw cut		11 None (d	pen hole)
1 Co	ontinuous slo	t <u>3 M</u>	lill slot .035	6 Wire	wrapped		9 Drilled hol	es		j
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 43 ft. to 53 ft., From ft. to ft.										
SCREEN-F	PERFORATI	D INTERVALS:	From	ft. to .	53	ft., Fror	m	ft. to	o	ft.
				ft. to .						
	GRAVEL PA	CK INTERVALS:	From 2	36 ft. to .	53	ft., Fror	m	ft. to	.	
			From	ft. to			n)	
6 GROUT	MATERIAL	: 1 Neat	cement	2 Cement grout	3 Bento					
Grout Inter	rvals: Froi	_n O	.ft. to	2 Cement grout	ft.	to	ft., From	1 . <i></i>	. ft. to	
What is the		urce of possible					tock pens	14 At		1
_	ptic tank	4 Later		7 Pit privy		11 Fuel s	storage	15 Oi	l well/Gas w	reli
2 Sewer lines 5 Cess poor			pool	8 Sewage lag	oon	12 Fertili	zer storage	16 Ot	ther (specify	below)
		er lines 6 Seep	•	9 Feedyard			ticide storage		•	
Direction f		EAST	-			How mar	•	125		
FROM	TO		LITHOLOGIC	LOG	FROM	то	•	PLUGGING IN	NTERVALS	
0	2	FILL DIR	T							
2	4		CK GUMBO							
4	31	SAND SIL								
31	54		E TO COARS	E TAN						
		A SECTION ASSESSMENT								
ļ					-					
					_					
						Ll.				
7 CONTE	RACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: This water well w	as (1) constru	cted, (2) reco	nstructed, or (3) plugged und	my jurisd	iction and was
completed on (mo/day/year) 5-19-99 and this record is troe to the best of my knowledge and belief. Kansas										
Water Wel	Contractor	s License No	3 88	This Water V	Vell Record wa	s completed of	(maday/yr)	1 4-20	1 99/	
			IGER PUMP S			by (signat	\ \\	VALTE	slike	D
				FIRMLY and PRINT clearly. Pl	ease fill in blanks			rs. Send top three of	copies to Kansa	s Department
INSTRU	the seed Englisher	powinter or ball point	Topoka Kanege 666	20-0001. Telephone: 913-296-	5545 Send one to	WATER WELL OV	VNFR and retain o	ne for your records		,