WATE	R WELI	RECORD	Form WWC-	-5	Division of Wat	er Resources; App. No.	20 E	
		F WATER WELL:	Fraction			Township Number	Range Number	
Coun	ty: Sal	ine	NW 1/4 SW 1/4 S	W 1/4	18	T 15 S	R 2 k /W	
		rection from nearest town or ci	ty street address of w	ell if		g Systems (decimal deg	rees, min. of 4 digits)	
located within city? City limits- 1320 E. Bethel Cr. Latitude:								
		S	alina, Ks.		Longitude:			
2 WA	TER WEI	LOWNER: Bill Tuzi	cka		Elevation:			
	, St. Addre		ethel Circle		Datum:			
City,	, State, ZII				Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
	ATEWE	ELS 4 DEI III OF COM	LETED WEEL					
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
	CTION BOX: WELL'S STATIC WATER LEVEL22ft. below land surface measured on mo/day/yr11/1.3/.06							
SEC	N Pump test data: Well water was							
	Est. Yield. 30 gpm: Well water was							
	WELL WATER TO BE USED AS: 5 Public water supply X Air conditioning 11 Injection well							
w NV	1 Demostic 2 Foodlet 6 Oil field victor symply 0 Devictoring 12 Other (Specify heley)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs								
Sample was submitted								
S S								
5 TVDI	FOFCAS	ING USED: 5 Wrought	Iron & Conc	rote tile	CASIN	IG JOINTS: Glued	X Clamped	
1	Steel	2		r (specify			44 Clampeu	
		4 ABS 7 Fiberglass						
XPVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to38								
Casing height above land surface								
		N OR PERFORATION MATE		~ ~	.105./11.	neithress of guage 110.		
1 Steel 3 Stainless Steel 5 Fiberglass 7XPVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot XMill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 20								
From ft., ft., From ft., to ft.								
			~ - A D		1.0.1			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout *Bentonite 4 Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
XSeptic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? East How many feet? 100 ft .								
		LITHOLOGIC				PLUGGING INT		
FROM	TO		LUU	FROM	TO TO	LUGGING INT	LKVALS	
0	2	Topsoil						
2	22	Clay, gray						
22	35	Clay, dk gray						
_35	56	Sands, fine to m						
_56	60	Shale, gray						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)1.1/13/0.6 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (pho/day/year)1.1./.16/.06								
under th	e business	name of Peterson Ir	rigation, In	c. by	y (signature)	Mily Seter	→	
three	CTIONS: Us	e typewriter or ball point pen. <u>PLE</u>	ASE PRESS FIRMLY and I	NOV Section	rly. Please fill in blan	ks, under the or circle the c	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								