WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:		Section Number Township No. Range Number
County: Saline	1/4 NW 1/4 S E 1/4 N E	
Street/Rural Address of Well Location	n; if unknown, distance & direction	n Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here .		Latitude: (in decimal degrees)
2 miles North & 2 miles East of Assaria		Longitude: (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: Add	- 716.16-	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
		Collection Method:
		GPS unit (Make/Model:)
City, State, ZIP Code : Gypsum, KS 67448		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
2 LOCATE WELL		
WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL	53 _{ft.} EAST WELL
SECTION BOX: Depth(s) Groundwater Encountered (1)		
SECTION BOX: N Depth(s) Groundwater Encountered (1)		
Pump test data: Well water wasft. after hours pumping		
EST. YIELD. 600gpm. Well water was		
W		
WELL WATER TO BE USED AS:		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
Industrial Domestic-lawn & garden Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes X No		
If yes, mo/day/yr sample was submitted		
1 mile Water well disinfected? K Yes No		
5 TYPE OF CASING USED: Steel X PVC Other		
CASING JOINTS: V Glued Clamped C Welded C Threaded		
Casing diameter 16 in to 33 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 12 in, Weight 16.15 lbs./ft., Wall thickness or gauge No. 500		
Casing height above land surface. 12 in. Weight 16.15 lbs./ft. Wall thickness or gauge No. 500		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot		
SCREEN DEDECORATED INTERVALS. From 33		
From ft to ft From ft to ft From ft to		
From		
From		
6 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other		
6 GROUT MATERIAL: Neat cement Neat cement St. Cement grout Bentonite Other Grout Intervals: From ft. to ft., From		
What is the nearest source of possible contamination: None within 1/4 mile		
	lines Pit privy Livest	
Sewer lines Cesspo	ol Sewage lagoon Fuel st	orage Abandoned water well
☐ Watertight sewer lines ☐ Seepag	-	zer storage Oil well/gas well
Direction from well		nce from well
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2 Topsoil		
2 23 Clay, tan		
23 30 Clay, silty &	sandy	
30 35 Sand, fine		
35 51 Sand, loose		
51 53 Shale, green		
T CONTROL COURT OF TAXABLE	EDAG CEDIE	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, \(\subseteq \text{ reconstructed, or } \subseteq plugged under my jurisdiction and was completed on (mo/day/year) 10/26/11 and this record is true to the best of my knowledge and belief.		
under my jurisdiction and was completed on (mo/day/year)! \(\frac{1}{2} \		
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/ykar) 10/28/11		
under the business name of Peterson Irrigation INC		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well, Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		