		WAT	ER WELL F	RECORD	Form W	WC-5 KSA	82a-1212		COPY -	HP
LOCATION OF W		Fraction	<u> </u>		4.1	Section Num	1	Number	Range Nu	
County: Solin Distance and direction	<u>e</u>		1/4 SW		1/4 1/4	18	T 15	S	RAW	EW
		• •		well if locat	ea within t	aty?				
M 5/	E. of	MENEOR								
WATER WELL O	WNER: Lynn	Reed	0.0	١					m: ::: (144-)	
RR#, St. Address, E	lox # : (HC 5	Treera	rare 22/	, , , ,	434			-	, Division of Wate	r Hesource
City, State, ZIP Code	Brig	dgeport	Kan	5, 61	747	1		tion Number:		
LOCATE WELL'S AN "X" IN SECTI	LOCATION WITH				-	• -				
AN A IN OLOTI	N						ft. 2			
ī !!	1 ! 1				-		surface measured		. / ~ >	_
\\w	- NF		•				t. after			
1 1 1		_	4			•	t. after			
• w - !		Bore Hole Diar	meter 🂪	in. to	-		ft., and	<i></i>	n. to	ft
₹ " !	! 1	WELL WATER	TO BE US	ED AS:		water supply		-	Injection well	
ī sw	_ _	1 Domesti	c 3 F	eedlot	6 Oil fie	d water supply	9 Dewatering		Other (Specify b	
×	1 %1	2 Irrigation	n 4 Ir	ndustrial	7 Lawn	and garden onl	y 10 Observation	well 7e	at pump	return
<u> </u>		Was a chemica	al/bacteriolog	jical sample	submitted	to Department	? YesNo.	; If ye	s, mo/day/yr sam	pie was su
	S	mitted					Water Well Disinfe	ected? Yes	No	
TYPE OF BLANK	CASING USED:		5 Wroug	tht iron		concrete tile		JOINTS: Glu	<u>ed</u> Clamp	ed
1 Steel	3 RMP (SF	₹)	6 Asbes	tos-Cement	9 0	Other (specify b	elow)	Wel	lded	
2 PVC	4 ABS	. دور	, 7 Fiberg						eaded	
Blank casing diameter										
Casing height above	land surface	1.4	in., weigh	nt			bs./ft. Wall thickne	ss or gauge I	No.SDR. 2	b
TYPE OF SCREEN	OR PERFORATION	N MATERIAL:				7 PVÇ	10	Asbestos-cem	nent	
1 Steel	3 Stainless	steel	5 Fiberg	lass		BRMP (SR)	11	Other (specify	y) <i>.</i>	
2 Brass	4 Galvanize	ed steel	6 Concre	ete tile	!	9 ABS	12	None used (o	pen hole)	
SCREEN OR PERF		GS ARE:		5 Gau	zed wrapp	ed	8 Saw cut		11 None (oper	n hole)
1 Continuous s	slot 3 Mi	ll slot		6 Wire	wrapped		9 Drilled hol			
2 Louvered shi	utter 4 Ke	y punched		7 Toro			10 Other (spe	cify)		
SCREEN-PERFORA	TED INTERVALS:	From					From			
		From				ft., I	From	ft.	to	
GRAVEL P	ACK INTERVALS:	From	<i>30</i>	ft. to .	5 /	ft.,	From	ft.	$\text{to}. \dots \dots \dots$	ft
		From		ft. to		ft.,	From	ft.	to	ft
GROUT MATERIA		,	2 Cement	-		Bentonite				
Grout Intervals: Fr	om 3	ft. to /.3 .	ft.,	From		ft. to	ft., From		ft. to	ft
What is the nearest	source of possible	contamination:				10 Li	vestock pens	14	Abandoned water	well
1 Septic tank	4 Latera	al lines	7	Pit privy		11 Ft	uel storage	15	Oil well/Gas well	
2 Sewer lines 5 Cess pool		pool	8 Sewage lago		goon	12 Fe	ertilizer storage	16	Other (specify below)	
3 Watertight se	wer lines 6 Seepa		9	Feedyard		13 ln	secticide storage			
Direction from well?	South					How	many feet? 63			
FROM TO	-	LITHOLOGIC			FRC	м то		LITHOLO	GIC LOG	
0 30	Clay, 1	ight br	own							
30 36	Squal	fine								
36 51	Grave	+ Squal	, 		, \ 					
51+	Shale, 9	194-9r	eeu (u	selling	tou)					
	- 3	, ,			1				- A-1	
								100,000		
CONTRACTOR'S	OR LANDOWNER	'S CERTIFICA	TION: This	water well v	was (1) co	nstructed (2) r	econstructed or (3) pluaged un	nder my jurisdictic	on and was
completed on (mo/da	v/vear)	9 / 82					ecord is true to the			
Water Well Contracto	or's License No	126								
under the business r	ame of U	whe D	معدّد المانية	Co		hv (sir	gnature)	3 4		
INSTRUCTIONS: Us	e typewriter or ball r	point pen. PLEA	SE PRESS	FIRMLY a	nd <i>PRINT</i>			line or circle the	ne correct answer	s. Send tor
three copies to Kansa	s Department of He	aith and Enviror	nment, Divisi	on of Enviro	nment, En	vironmental Ge	ology Section, Top	eka, KS 66620). Send one to WA	TER WEL
OWNER and retain										