OCATION OF W	ATED MELL.	F						
Colin,	AIEH WELL:	Fraction	RITO RITO	1	ction Number	1 7'2		Range Number
unty: Saline		NE 1/4	NE ¼ NE	1/4	35	T 15	S	R Z W
	on from nearest tow West of G	•	dress of well if located	within city?				_
<b>_</b>		of Gypsu						Variation of the second of the
WATER WELL O	A + +	Hall	111			Ves	ted Ri	ght-SA0001
#, St. Address, B		um, KS 67	Juli 8			Board of A	griculture, [	Division of Water Resource ater Right-87
, State, ZIP Code				~~		Application	Number:"	a ret uten -o
.OCATE WELL'S AN "X" IN SECTION	LOCATION WITH	4 DEPTH OF CO	OMPLETED WELL	75	ft. ELEV	ATION:		
- 14 SECTI	N BOX.	Depth(s) Groundy	water Encountered 1.	. <u> </u>	<b>29ft.</b>	2	ft. 3	5/17/87 <sup>ft</sup>
1 !								
NW	NE	Pump	test data: Well water	was	ft. :	after	hours pui	mping45 gpn
		Est. Yield 4.5	gpm: Well water	was	ft.	after	hours pu	mpingゲク gpn
w   1	<u> </u>	Bore Hole Diame	ter <del>İ</del> Öin. to.	7 <i>5</i>	ft.,	and	in.	to
" [ ]	!!!	WELL WATER TO		Public water	er supply	8 Air conditioning		njection well
		1 Domestic	3 Feedlot 6	Oil field wa	iter supply	9 Dewatering	12 (	Other (Specify below)
;;; -:	1 1 1	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Observation we	əli	
	1	Was a chemical/b	acteriological sample su	ıbmitted to D	epartment? \	′esNoX	; If yes,	mo/day/yr sample was su
	S	mitted			W	ater Well Disinfecte	d? Yes	X No
YPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JO	INTS: Glued	Clamped
1 Steel	3 RMP (SF	₹)	6 Asbestos-Cement		(specify belo			ed
2 PVC	4 ABS	_						ded
								n. to ft
ing height above	land surface	12	in., weight $\dots$ 3. $45$	62	Ibs.	/ft. Wall thickness	or gauge No	o <b>. 255</b>
PE OF SCREEN	OR PERFORATION	N MATERIAL:		7 PV	C	10 Asb	estos-ceme	nt
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)	
2 Brass	4 Galvanize	ed steel	6 Concrete tile	9 AB	s	12 Nor	ne used (ope	en hole)
REEN OR PERF	DRATION OPENING	GS ARE:	5 Gauzeo	wrapped		8 Saw cut		11 None (open hole)
1 Continuous s	lot 3 Mi	ill slot	6 Wire w	rapped		9 Drilled holes		
2 Louvered shu	ıtter 4 Ke	y punched	7 Torch o			10 Other (specify	/)	
REEN-PERFORA	TED INTERVALS:	From	60 ft. to	75	ft., Fro	om	ft. to	)
			ft. to		ft Fro	om		)
GRAVEL P	ACK INTERVALS:	From	20 ft. to				ft. to	)
GRAVEL P	ACK INTERVALS:	_		<b>7</b> .5	ft., Fro	om	ft. to	) ft
GROUT MATERIA	AL: 1 Neat-o	From ement2	ft. to  Cement grout	3 Bento	ft., Fro	om	ft. to	<u>f</u>
GROUT MATERIA	AL: 1 Neat o	From ement ft. to	ft. to  Cement grout	3 Bento	ft., Fro	om	ft. to	<u>f</u>
GROUT MATERIA	AL: 1 Neat-o	From ement ft. to	ft. to  Cement grout	3 Bento	to	om	ft. to	<u>ft</u>
GROUT MATERIA	AL: 1 Neat com	From tement ft. to	ft. to  Cement grout	3 Bento	ft., Frontie 4 to	Other	ft. to	tft. toft
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines	AL: 1 Neat of com	From cement ft. to	ft. to  2 Cement grout  ft., From	3 Bento	ft., Frontie 4 to	Othertt., From	ft. to	tft. toft
GROUT MATERIA to Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat or om	From cement ft. to	ft. to  2 Cement grout  ft., From	3 Bento	ft., Frontile 4 to	Other	ft. to	tt. to
BROUT MATERIA  ut Intervals: Fr  at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight section from well?	AL: 1 Neat or om	From cement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	t. to
GROUT MATERIA  ut Intervals: Fr  at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight section from well?  ROM TO	source of possible of 4 Laters  5 Cess wer lines 6 Seeps	From tement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	ft., Frontile 4 to	Other	ft. to	ft. to
art Intervals: From the second of the second	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East	From  rement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
art Intervals: From the second	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East Top Soil Yellow C	From  tement  ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest state is severe lines at the nearest state is the nearest state is the nearest state is severe in the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest state in the nearest state is severe in the nearest state in the nearest state in the nearest state is the nearest state in the nearest state in the nearest state is the nearest state in t	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha	From  rement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight section from well?  ROM TO 0 3 3 8 8 13 13 24	source of possible of 4 Laters 5 Cess wer lines 6 Seeps East Top Soil Yellow C Gray Sha Brown Sa:	From  rement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest:  Septic tank Sewer lines Watertight section from well?  O 3 B 13 C 44 C 43	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sai Gray Sha	From  rement ft. to	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight seed to from well? ROM TO 0 3 3 8 8 13 13 24	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sa: Gray Sha Gray Sha	From  rement ft. to	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
GROUT MATERIA  tut Intervals: Fr at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight section from well?  ROM TO 0 3 3 8 8 13 13 24 24 43 43 52	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sai Gray Sha Gray Sha of S	From  the to 25.  contamination: al lines  pool age pit  LITHOLOGIC L  lay  le ndstone le le with se andstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
A Septic tank  Septic tank  Septic tank  Sewer lines  Watertight section from well?  O 3  B 13  C 44  C 43  C 44  C 52  C 75	source of possible of the second of the seco	From  the to	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at Intervals: Frat is the nearest state is severe lines at the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest state is severe in the nearest state in the nearest stat	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sai Gray Sha Gray Sha of S	From  the to	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
art Intervals: From the second from well?  Septic tank	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
HROUT MATERIA  It Intervals: From the is the nearest state of the second state of the	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at Intervals: Frat is the nearest state is the nearest state and s	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
GROUT MATERIA  ut Intervals: Fr at is the nearest of the second of the s	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest state is section from well?  3 Watertight section from well?  3 B TO  3 B  13 24  24 43  43 52  52 75	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
at is the nearest state is section from well?  3 Watertight section from well?  NOM TO  3 8  8 13  13 24  24 43  43 52  52 75	source of possible of the second of the seco	From  the to 25.  contamination: al lines pool age pit  LITHOLOGIC L  lay le ndstone le le with si andstone ndstone	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	3 Bento ft.	tt., Frontite 4 to	Other	14 At 15 Oi 16 Oi	ft. to
GROUT MATERIA  Aut Intervals: Fr at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 3 8 8 13 13 24 24 43 43 52 52 75 75 76	Top Soil Yellow C Gray Sha Brown Sa: Gray Sha	From  rement ft. to2  contamination: al lines pool age pit  LITHOLOGIC L  lay  le ndstone le le with s andstone ndstone le	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG  mall streaks	3 Bento ft.	toft., Frontie 4 to 10 Lives 11 Fuel 12 Ferti 13 Insee How ma	Other	14 At 15 Oi 16 Oi	ft. to
GROUT MATERIA  ut Intervals: Fr at is the nearest:  1 Septic tank 2 Sewer lines 3 Watertight se ection from well?  ROM TO 0 3 3 8 8 13 13 24 24 43 43 52 52 75 75 76	Top Soil Yellow C Gray Sha Brown Sa: Gray Sha	From  rement ft. to2  contamination: al lines pool age pit  LITHOLOGIC L  lay  le ndstone le le with s andstone ndstone le	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG  mall streaks	3 Bento ft.	toft., Frontie 4 to 10 Lives 11 Fuel 12 Ferti 13 Insee How ma	Other	14 At 15 Oi 16 Oi	ft. to
at Intervals: Frat is the nearest:  1 Septic tank 2 Sewer lines: 3 Watertight selection from well? ROM TO 0 3 3 8 8 13 13 24 24 43 43 52 52 75 75 76	Source of possible of A Latera S Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sa: Gray Sha Gra	From  The to	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG  Mall streaks  ON: This water well was	3 Bento ft.  3 FROM  FROM  I Record was	toft., Frontie 4 to 10 Lives 11 Fuel 12 Ferti 13 Insee How ma	Other	14 At 15 Oi 16 Oi	ft. to
at Intervals: Frat is the nearest:  1 Septic tank 2 Sewer lines: 3 Watertight section from well? ON TO 0 3 3 8 8 13 13 24 24 43 43 52 52 75 75 76	source of possible of 4 Latera 5 Cess wer lines 6 Seepa East  Top Soil Yellow C Gray Sha Brown Sa Gray Sha Gray	From  The to	ft. to  2 Cement groutft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG  mall streaks	3 Bento ft.  3 FROM  FROM  I Record was	toft., Frontie 4 to 10 Lives 11 Fuel 12 Ferti 13 Insee How ma	Other	14 At 15 Oi 16 Oi	ft. to