

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>		<u>SE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>6</u>	<u>T</u> <u>15</u> <u>S</u>	<u>R</u> <u>2</u> <u>W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2 miles South & 1/2 mile East of Salina, KS</u>					
2 WATER WELL OWNER: <u>Bob Sparks</u>		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>1541 E. Water Well Rd.</u>		Application Number:			
City/State/ZIP Code : <u>Salina, KS 67401</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>60</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>21</u> ft. 2. <u>21</u> ft. 3. <u>21</u> ft.			
		WELL'S STATIC WATER LEVEL <u>21</u> ft. below land surface measured on mo/day/yr <u>7-25-94</u>			
		Pump test data: Well water was <u>50</u> gpm: Well water was <u>50</u> gpm: Well water was <u>50</u> gpm			
		Est. Yield <u>50</u> gpm: Well water was <u>50</u> gpm: Well water was <u>50</u> gpm			
		Bore Hole Diameter <u>8</u> in. to <u>62</u> ft., and <u>62</u> in. to <u>62</u> ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> <u>X</u> No <u>X</u>		Water Well Disinfected? Yes <u>X</u> No <u>No</u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped <u>No</u>			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below)			
2 PVC 4 ABS		7 Fiberglass 10 Asbestos-cement			
Blank casing diameter <u>5</u> in. to <u>50</u> ft., Dia <u>50</u> in. to <u>50</u> ft., Dia <u>50</u> in. to <u>50</u> ft.		Casing height above land surface <u>12</u> in., weight <u>2.37</u> lbs./ft. Wall thickness or gauge No. <u>214</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify) <u>11</u>			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>10</u>			
SCREEN-PERFORATED INTERVALS: From <u>50</u> ft. to <u>60</u> ft., From <u>50</u> ft. to <u>60</u> ft., From <u>50</u> ft. to <u>60</u> ft.					
GRAVEL PACK INTERVALS: From <u>25</u> ft. to <u>60</u> ft., From <u>25</u> ft. to <u>60</u> ft., From <u>25</u> ft. to <u>60</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <u>5</u> ft. to <u>25</u> ft., From <u>5</u> ft. to <u>25</u> ft., From <u>5</u> ft. to <u>25</u> ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>East</u>		How many feet? <u>100 ft</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Top Soil			
5	17	Silt-Brown			
17	24	Brown Clay			
24	36	Brown Sandy Clay			
36	45	Fine Sand			
45	60	Meidum to Course Sand			
60	62	Gray Clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-25-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>138</u> This Water Well Record was completed on (mo/day/yr) <u>8-23-94</u> under the business name of <u>Peterson Irrigation Inc.</u> by (signature) <u>Mike Peterson</u>					