

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Ellis</u>	<u>NW 1/4 NE 1/4 SW 1/4</u>	<u>36</u>	T <u>15</u> S	R <u>20</u> E/W

Distance and direction from nearest town or city street address of well if located within city?

9 1/2 West of Schoenchen 1/2 South East side

2 WATER WELL OWNER: <u>Albert Ree</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>210 Arapahoe</u>	Application Number:
City, State, ZIP Code : <u>Schoenchen, KS 67667</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>48.3</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>18.5</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well <u>Bore Hole 9"</u> Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? <u>Yes</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
② PVC	4 ABS	7 Fiberglass	Threaded <u>Yes</u>
Blank casing diameter <u>5-SDA.21</u> in. to <u>4.43</u> ft., Dia <u>5-SDA.17</u> in. to <u>4.43</u> ft., Dia			
Casing height above land surface <u>2.5</u> in., weight <u>SDA.21</u> lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	② PVC	10 Asbestos-Cement	
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
11 Other (Specify)			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	② Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>44.3</u> ft. to <u>48.3</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>2.0</u> ft. to <u>48.3</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	③ Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>2.0</u> ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	① Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well?		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Topsoil + Yellow Clay	459	783	Shale
8	12	Brown Clay Little Linc			
12	16	Gray Clay			
16	21	Yellow + Gray Clay			
21	55	Dark Gray + Brown Clay			
55	135	Blue Shale			
135	195	Gray Shale Little Brown Clay H			
195	240	Gray Shale Little White Clay			
240	300	Blue Shale			
300	315	Shale and Sandstone			
315	360	Gray Clay Little Sandstone			
360	705	Gray Clay Little Shale			
405	435	Gray + Tan Clay			
435	459	Sandstone Little Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-16-06</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>677</u> This Water Well Record was completed on (mo/day/yr) <u>6-20-06</u> under the business name of <u>CLT Inc.</u> by (signature) <u>CLT Inc.</u>
