WATEI	R WEL	L RECORD	Form WV	<i>NC-5</i>	Di	vision of Water	r Resources App. N	o.	
1 LOC		OF WATER WELL:	Fraction sw 1/4 sw 1/4 sw	1/4 SW 1/4		on Number	Township No. T 15 S	Range Number R 20 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude:			
14 W. of Schoenchen, Ks					Eleva	Elevation:			
2 WATER WELL OWNER: Art Gross						Collection Method:			
RR#, Street Address, Box #: 774 150th Ave					GPS unit (Make/Model:)				
City, State, ZIP Code : Havs ke			s, 67601		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 620 ft.									
	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1)								
Pump test data: Well water wasft. after hours pumping gpm									
WNW NE E EST. YIELD									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SWSWSE									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
Casing diameter .10									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 620 ft. to									
SCREE	N-PERF	ORATED INTERVALS:	From	t. to	•••••	π., From	π. Α	to ft.	
	GRAV	EL PACK INTERVALS:	From 620	ft to 100	• • • • • • • • •	ft From	ft.	to ft.	
			From 1	ft. to		ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other									
Grout Intervals: From 100 ft. to 0 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: Septic tank									
	Sewer lin	nes	Sewage lagoon Fuel storage			Abandoned water well			
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well shallow water well Direction from well West Distance from well 10.'									
FROM	TO TO	n well west		FROM	TO TO			JGGING INTERVALS	
0	20	Top soil Clay	IC DOG	0	70		sealed w/ bent		
20	320	clay shale mixture		0	100		sealed w/ bento		
320	600	Sandstone and Shale		100	620	Gravel Page	ck		
600	620	Shale							
ļ	ļ					 			
	-						······································		
				<u> </u>				***************************************	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was									
under my jurisdiction and was completed on (mo/day/year) .11-26-13 and this record is trace to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 829. This Water Well Record was completed on (proday/year) 12-20-13 under the business name of Precision Drilling LLC. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to									
1	Kansas D	epartment of Health and Environ	ment, Bureau of Water, Geo	logy Section,	1000 SW	Jackson St., Suit	e 420, Topeka, Kans	as 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									