						VC-5 KSA 82a				
LOCATION OF WATER WE			1/-	NE	1/4	Section Number 29	Township T 15	Number S	Range Number	
ounty: Gove stance and direction from n	nearest town or ci		NW 1/4		T	address of well if	·		1 7 2	
1 West of Shi			168 MOI 0	11	Street	address of well if	located within c	ity ?		
WATER WELL OWNER:	Claytor	n Davis			-					
R#, St. Address, Box # :	v						Board of	Agriculture,	Division of Water Resor	
	Shi elds							on Number:		
DEPTH OF COMPLETED	WELL . 45	ft. Bo	ore Hole Diam	eter	. 9	. in. to 45	ft., and .		. in. to	
ell Water to be used as:		olic water su			8 Air c	conditioning	11	Injection well		
1 Domestic 3 Feedlot					9 Dew	atering	12	Other (Specia	fy below)	
2 Irrigation 4 Industria						ervation well			1000	
ell's static water level										
imp Test Data NA:										
	gpm: Well wa	ater was		ft. after						
TYPE OF BLANK CASING			5 Wrought in			oncrete tile			Clamped	
	RMP (SR)					ther (specify below			ed	
2 PVC 4		0.5	7 Fiberglass						aded	
ank casing dia 5										
asing height above land sur			in., weig	nt		PVC				
PE OF SCREEN OR PERI			E Eibergless		_			sbestos-ceme		
	3 Stainless steel 4 Galvanized stee		_			ABS		nner (specity) one used (op	en hole)	
							8 Saw cut)		•	
reen or Perforation Opening 1 Continuous slot									11 None (open hole)	
			6 Wire wrapped 7 Torch cut				9 Drilled holes 10 Other (specify)			
reen-Perforation Dia										
reen-Perforated Intervals:	-									
CONTRACTOR OF THE PAIS.										
avel Pack Intervals:									· · · · · · · · · · · · · · · · · · ·	
aver rack littervals.	From		ft. to							
		\	2 Cement are	ut	3 F	lentonite 4			5	
GROUT MATERIAL:							U (1,01) - m			
								n	ft to	
GROUT MATERIAL: outed Intervals: From nat is the nearest source of	15 ft. to	20				ft. to 1	t., Fron			
outed Intervals: From	·· 15 ····· ft. to f possible contan	20	ft., Fro	o m	4	10 Fuel	torage	14 A	bandoned water well	
outed Intervals: From	f possible contam Cess pool	o 20 · · nination:	7 Sew	om	4	ft. to 1 t 10 Fuel 11 Fertil	t., Fron storage zer storage	14 A 15 C	bandoned water well il well/Gas well	
outed Intervals: From nat is the nearest source of 1 Septic tank 2 Sewer lines	15 ft. to f possible contain 4 Cess pool 5 Seepage pit	o 20 nination: t	7 Sew 8 Fee	vage lago	4	10 Fuel 11 Fertil 12 Insec	ticide storage	14 A 15 C 16 C	bandoned water well bil well/Gas well other (specify below)	
outed Intervals: From nat is the nearest source of 1 Septic tank 2 Sewer lines	15 ft. to f possible contain 4 Cess pool 5 Seepage pit	o 20 nination: t	7 Sew 8 Fee	vage lago	4	10 Fuel 11 Fertil 12 Insec	ticide storage	14 A 15 C 16 C	bandoned water well bil well/Gas well other (specify below)	
outed Intervals: From	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy	o 20 · · · · · · · · · · · · · · · · · ·	7 Sew 8 Fee 9 Live	om vage lago d yard stock per	4	ft to 16 10 Fuel 11 Fertil 12 Insec 13 Water? Water	tion ft., Fron storage izer storage ticide storage rtight sewer line Well Disinfected	14 A 15 C 16 C s 	bandoned water well bil well/Gas well bither (specify below)No	
puted Intervals: From. Inat is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit	t How ted to Depart	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	om vage lago d yard stock per	oon ns	ft to	tt., Fron storage izer storage ticide storage rtight sewer line: Well Disinfected	14 A 15 O 16 O s 17 Yes	bandoned water well bil well/Gas well bither (specify below)NoIf yes, date san	
nat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt month	o 20 nination: t How I	7 Sew 8 Fee 9 Live many feet1 artment? Yes day	rage lago d yard stock per	4	ft to	tt., Fron storage izer storage ticide storage rtight sewer line: Well Disinfected 	14 A 15 O 16 O s 17 Yes	bandoned water well well/Gas well ther (specify below)	
outed Intervals: From	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy prth al sample submit month name.	o 20 nination: t How i	7 Sew 8 Fee 9 Live many feet 1 artment? Yes day	vage lago d yard stock per	ns ye.	ft to	tt., Fronstorage storage ticide storage rtight sewer line Well Disinfected Company Type HP	14 A 15 O 16 O 17 Yes	bandoned water well well/Gas well ther (specify below)	
puted Intervals: From	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy prth al sample submit month name.	o 20 nination: t How retired to Depare	7 Sew 8 Fee 9 Live many feet1 artment? Yes day	vage lago d yard stock per	oon nsyeyeModel N	ft to	tt., Fronstorage storage ticide storage rtight sewer line Well Disinfected Company Type Type Type Type Type Type Type Typ	14 A 15 O 16 O 17 Yes	bandoned water well well/Gas well ther (specify below)No: If yes, date sanVolts	
puted Intervals: From	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submittmonth name 1 Submersible	t How it ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes day Turbine	vage lago d yard stock per QQ	ns ye. Model N Pumps 3 Jet	ft to	tt., Fronstorage storage ticide storage rtight sewer line Well Disinfected Yes d? Yes	14 A 15 C 16 C s 17 Yes	bandoned water well bil well/Gas well bither (specify below)No: If yes, date san NoVoltsgal./	
outed Intervals: From nat is the nearest source of 2 Sewer lines 3 Lateral lines rection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE	20	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes day	rage lago d yard stock per OO	oon nsyeyeModel N Pumps 3 Jet as (1) co	ff. to 16 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Car: Pump Installe No. Capacity rated at 4 Cent nstructed (2) rec	ft., From storage ricide storage rtight sewer line: Well Disinfected d? Yes	14 A 15 C 16 C s 17 Yes Reciprocation) plugged un	bandoned water well bil well/Gas well bither (specify below) No If yes, date san No Volts gal g 6 Other der my jurisdiction and	
nat is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15. ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy or th al sample submitt	20	7 Sew 8 Fee 9 Live many feet1 artment? Yesday Turbine DN: This wate.	vage lago d yard stock per OO ft. er well w	oon ns Model N Pumps 3 Jet as (1) co	ff. to 16 10 Fuel 11 Fertil 12 Insect 13 Water 12 Water 14 Capacity rated at 14 Cent 15 Instructed, (2) rec 10 day	storage izer storage ticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 Yes Reciprocation) plugged un	bandoned water well well/Gas well ther (specify below) No Volts g 6 Other der my jurisdiction and	
outed Intervals: From nat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	15. ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy or th all sample submitt	t How intended to Department of the Legislation of	7 Sew 8 Fee 9 Live many feet1 artment? Yesday Turbine DN: This wate month belief, Kansas	vage lago d yard stock per OO ft. er well w Water W	oon nsyeyeModel N Pumps 3 Jet	10 Fuel 11 Fertil 12 Insect 13 Water	storage izer storage ticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 Yes Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal der my jurisdiction and	
at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt mame 1 Submersible NDOWNER'S CE	t How I teled to Department 2 ERTIFICATION 1	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	vage lago d yard stock per OO ft. er well w Water W	ms year Model N Pumps 3 Jet Tas (1) co	fft to 10 Fuel 10 Fuel 11 Fertil 12 Insect 13 Water? Water	storage izer storage ticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal der my jurisdiction and	
outed Intervals: From nat is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines rection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt	t How I tted to Deparent Service Control Refrict Caric Ref	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	vage lago d yard stock per OO ft. er well w Water W	ms year Model N Pumps 3 Jet Tas (1) co	ff. to 16 10 Fuel 11 Fertil 12 Insec 13 Water Water Water No Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture)	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt	t How I tted to Deparent Service Control Refrict Caric Ref	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per QQ ft. er well w Water W	Model N Pumps 3 Jet as (1) co Vell Contrinonth. by (signa	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Pump Installe No. Capacity rated at 4 Cent nstructed (2) rec day actor's License N 30 ture)	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well well/Gas well ther (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
puted Intervals: From at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11ing & Sur ION FROM	20 nination: How intended to Department of the tender of	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per GO ft. er well w Water W THOLOG	oon ns Model N Pumps 3 Jet as (1) co Vell Contrinonth. by (signa	10 Fuel 11 Fertil 12 Insect 13 Water 2 Water War: Pump Installe No. Capacity rated at 4 Cent nstructed (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
puted Intervals: From Intervals: From I Septic tank 2 Sewer lines 3 Lateral lines ection from well Is a chemical/bacteriological services. Pump Manufacturer's in the period of pump: CONTRACTOR'S OR LANder the period on the period of th	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt month name 1 Submersible NDOWNER'S CE best of my know completed on 11ing & Sur ION FROM DN 0	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	oon ns Model N Pumps 3 Jet as (1) co Vell Contrinonth. by (signa	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt month name 1 Submersible NDOWNER'S CE best of my know completed on 11ing & Sur ION FROM DN 0	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
puted Intervals: From	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submitt month name 1 Submersible NDOWNER'S CE best of my know completed on 11ing & Sur ION FROM DN 0	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
outed Intervals: From nat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
putted Intervals: From nat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ection from well No as a chemical/bacteriological s submitted Yes: Pump Manufacturer's pump of Pump Intake Pump Manufacturer's pump of pump: CONTRACTOR'S OR LAN mpleted on d this record is true to the is Water Well Record was me of weighner Drill LOCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
puted Intervals: From at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	
puted Intervals: From at is the nearest source of Septic tank 2 Sewer lines 3 Lateral lines ection from well	15 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy orth al sample submit month name 1 Submersible NDOWNER'S CE best of my know completed on 11 ng & Sur ION FROM DN 0 38	2 How I ted to Department	7 Sew 8 Fee 9 Live many feet . 1 artment? Yes	rage lago d yard stock per OO ft. er well w Water W THOLOG	Model N Pumps 3 Jet ras (1) co	fft to 16 10 Fuel 11 Fertil 12 Insect 13 Water Water Water Capacity rated at 4 Cent nstructed, (2) rec day actor's License N 30 ture) FAOI	storage izer storage iticide storage rtight sewer line Well Disinfected d? Yes	14 A 15 C 16 C S 17 (Yes.) Reciprocation) plugged un	bandoned water well will well/Gas well wither (specify below) No Volts gal. g 6 Other der my jurisdiction and year under the bus	