<u>ک</u>								
LOCATION OF WATER WELL:	WATER 1	WELL RECORD	Form WWC-5	KSA 82s	1-1212 Township N	lumber	Range Nu	ımber
County: SALINE	NE 1/4	SE & NF	1/4	2	T /5		R 3	E/W
Distance and direction from nearest town	or city street add	ress of well if located		<u></u>	<u> </u>			
500' South of				carne	.r)			
WATER WELL OWNER: STEVE			100	CUITIC				
RR#, St. Address, Box # : P. 0. Bu		MACIONS			Board of	Agriculture. [	Division of Water	r Resources
City, State, ZIP Code : SALINA, KS. 67401			Board of Agriculture, Division of Water Resources  Application Number: 990/97					
LOCATE WELL'S LOCATION WITH 4	777, 7~2, Q	ADI ETED MEN	50	# FLEXA	TION:	Transor.		
AN "X" IN SECTION BOX:	Pepth(s) Groundwa VELL'S STATIC W Pump to	ter Encountered 1. ATER LEVEL	ر ft. bo	elow land su	2	ft. 3 n mo/day/yr . hours pu		9.9ft. 9.9gpm
1 1 1 1 1 1	st. Yield	gpm: Well water	was 5	π. ε	ιπer	. nours pu	mping	gpm
= W								
<u> </u>			5 Public wate		8 Air conditioning	-	-	
SW SE	1 Domestic				9 Dewatering			
	2 Irrigation				10 Monitoring we			
<u> </u>	Vas a chemical/bac	cteriological sample s	ubmitted to De					ole was sub-
S m	nitted			Wa	ter Well Disinfect	ed? Yes	X No	
TYPE OF BLANK CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING JO	OINTS: Glued	<u>l</u> Clamp	ed
1 Steel 3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify below	<b>~</b> )	Welde	ed	
2 PVC 4 ABS		Fiberglass					ded	
Blank casing diameter in								
Casing height above land surface	<i>I⇔</i> in	., weight 5.C. <i>F.</i>	t. 40	Ibs.	ft. Wall thickness	or gauge No	s	1
YPE OF SCREEN OR PERFORATION	MATERIAL:		7 PV	Ç		bestos-ceme		
1 Steel 3 Stainless s	steel 5	Fiberglass	8 RM	P (SR)	11 Ot	her (specify)		
2 Brass 4 Galvanized	d steel 6	Concrete tile	9 AB			ne used (op		
CREEN OR PERFORATION OPENING	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (oper	n hole)
1 Continuous slot 3 Mill	slot		vrapped		9 Drilled holes		(=#	,
	punched	7 Torch			10 Other (specif			
SCREEN-PERFORATED INTERVALS:	From	)ft. to		# Fro	m	· <b>y</b> ,	• • • • • • • • • • • • •	f+
SOMEENT EN OFFICE MILITARES.		ft. to						
GRAVEL PACK INTERVALS:		) ft. to						
CHAVEE FACK INTERVALS.	From	ft. to				ft. to		
GROUT MATERIAL: 1 Neat cer		Cement grout		ft., Fro	Other/./.			
Grout Intervals: From								
What is the nearest source of possible co		II., FIOIII						
		7 Dia					pandoned water	Well
1 Septic tank 4 Lateral		7 Pit privy		11 Fuel	•		il well/Gas well	
2 Sewer lines 5 Cess p		8 Sewage lago	on		izer storage	16 O	ther (specify bel	ow)
3 Watertight sewer lines 6 Seepag		9 Feedyard			ticide storage			
Direction from well? NORTH			T ==== 1	How ma			ITED (ALO	
FROM TO TOP SOI	LITHOLOGIC LO	G	FROM	то	P	LUGGING I	NIEHVALS	
3 18 Gray Cl	1 1/24	12101	,,					
3 18 Gray Ci.	ay, Heav	yand Stici	4/				1.00	
18 33 Gray Cla 33 49 Medium 49 50 Shale	y and 3							
33 49 Medium	Sana ur	dorravel						
49 50 Shale								
			-					
			+					
				-				
							11A	
CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION	l: This water well wa						
ompleted on (mo/day/year) l . l . l . l	0.1.99				rd is true to the be			ief. Kansas
Vater Well Contractor's License No	134	This Water We	ell Record was	s completed	on (mo/day/yr) .	01127	1.0.Q	
nder the business name of Sapen	erenta Be	mus ent		by (signa	tures Luces	a Da	dson	
INSTRUCTIONS: Use typewriter or ball point per	n. PLEASE PRESS FIRM		se fill in blanks, u	inderline or circle	the correct answers.	Send top three of	copies to Kansas De	partment