	WATER WELL REG	CORD Form WWC-5	KSA 82a-12	12 ID No.			
1 LOCATION OF WATE	ER WELL: Fraction		Section	n Number	Township Numbe	r Range Numb	per
County: SALTNE	NE 14			2	T15	s R 3W	E/W
Distance and direction fro	om nearest town or city street	address of well if located w	ithin city?				
3500-3550	S. 9th						
2 WATER WELL OWN	ER: MARSHALL MOTOR	R CO.					
RR#, St. Address, Box # City, State, ZIP Code	: SATITNA KS. 67	↓∩1			Application Num	ure, Division of Water Re ber:	
3 LOCATE WELL'S LOC	ATION WITH A DEPTH OF	COMPLETED WELL	.59	ft. ELEVAT	ION:12.53		
AN "X" IN SECTION B	OX: Depth(s) Grou	ndwater Encountered 21 IC WATER LEVEL21 Inp test data: Well water	24 ft. below	land surface	2 measured on mo/day/	ft. 35-18-04	ft.
	' P	mp test data: Well water	was <u>32</u>	ft. af	terho	ours pumping25	gpm
NW	- NE Est. Yield	gpm: Well water	was	ft. af	ter ho	ours pumping	gpm
1	1 Domesti		ublic water su il field water s		8 Air conditioning 9 Dewatering	11 Injection well 12 Other (Specify below	w١
w !	E 2 Irrigation						
sw	- SE - x Was a chemic	al/bacteriological sample si	ubmitted to De	epartment? Ye	s No X · If y	ves mo/day/vrs sample v	vas sub
1	mitted				er Well Disinfected? Yo		rao oab
5 TYPE OF BLANK CA	ASING USED:	5 Wrought iron	8 Concrete	tile	CASING JOINTS:	GluedX Clamped	
1 Steel 2 PVC	3 RMP (SR) 4 ABS	6 Asbestos-Cement 7 Fiberglass	9 Other (sp	pecify below)		Welded	
Blank casing diameter	in. to	49 ft., Dia		. in. to	ft., Dia	in. to,	ft.
Casing height above land	d surface14	in., weight	160	11	os./ft. Wall thickness or	guage No. SDR 26	
	PERFORATION MATERIAL:	E Eiboralage	7 PVC 8 RMP		10 Asbestos		
1 Steel 2 Brass	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	9 ABS	(Sn)	, ,	oecify) ed (open hole)	•••••
SCREEN OR PERFORA	TION OPENINGS ARE:	5 Guaze	d wrapped		8 Saw cut	11 None (open ho	ole)
1 Continuous slot	3 Mill slot • (rapped		9 Drilled holes		·
2 Louvered shutter	4 Key punched	7 Torch					
SCREEN-PERFORATED	OINTERVALS: From	49 ft. to	59	ft., From		. ft. to	ft.
GRAVEL PACE	From K INTERVALS: From	ft. to ft. to	59	ft., From		. ft. to	ft.
GILAVEETAGI	From	ft. to		ft., From		. ft. to	ft.
6 GROUT MATERIAL:	1 Neat cement 0	2 Cement grout	3 Bentor	ite 4	Other		
		π., From	π. το				
	ce of possible contamination:	7 Dit priva		10 Livesto	•	14 Abandoned water we) II
1 Septic tank	4 Lateral lines	7 Pit privy	0000	11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit		8 Sewage lagoon 9 Feedyard		12 Fertilizer storage13 Insecticide storage		16 Other (specify below	,
Direction from well?	SOUTH	3 i eedyald		How many			
FROM TO	LITHOLOGI	CLOG	FROM	TO		NG INTERVALS	
0 3	FILL DIRT	o Lou	111011		1 Eddan	TO INTERIVACE	
3 24	CLAY BROWN SILTY						
24 59	SAND FINE TO MED	TAN					
59	SHALE GRAY						
						NATU.	
					1		
						148.77	
						ALL BAYA	
7 CONTRACTOR'S OR	LANDOWNER'S CERTIFICA	ATION: This water well was	(1) construct	ed. (2) recon	structed or (3) plugge	d under no jurisdiction s	and was
completed on (mo/day/yea	_{ar)} 5-19-04			and this reco	ord is true to the best of	my mowledge and belief.	Kansas
Water Well Contractor's 1	icence No. 388	This Water V	/ell Record wa	as completed	on (modely/yr)5.7	904/	1
under the business name	of PASTINGER PUMP	SERVICE:		by (si	gnature)	Vellenson	/
		FIRM V and DRAIT stands Disease 6	U to blooks	or oleala #b	mand annual Cond	conice to Kanagarana	Hoolth

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.