		WATER	WELL RECORD	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL: Fraction				Section Number	Township Number	Range Number	
		NW 1/4	NW 1/4 SE 1/4	19	T 15 S	R 3 E(W)	
Distance and direction 1 mile SW of Sm		own or city stree	et address of well if loca	ted within city?			
2 WATER WELL O	WNER: Mo	rrison Ventur	es				
RR#, St. Address, Box #: 1700 East Iron			N Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Salina, KS 67		ina, KS 6740	S 67401 Application Number:				
3 LOCATE WELL'S	S LOCATION W	ITH 4 DEPTH	OF COMPLETED WEI	L ft.	ELEVATION		
AN "X" IN SECTION BOX Depth(s) (Groundwater Encountered 1 ft. 2 ft. 3 ft.				
N W		WELL'S ST	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
	!		Pump test data: Well	water was	ft. after hours pu	mping gpm	
NW	- NE	Est. Yield:.	gpm: Well	water wasft	. after hours pur	nping gpm	
''''	'` `	Bore Hole I	Diameter3.5in.	to35	ft., and in	n. to ft.	
w	. 	WELL WA	TER TO BE USED AS:	5 Public Water s	upply 8 Air conditioning	11 Injection well	
"	'	1 Domes	tic 3 Feedlot 6	Dil field water supp	ly 9 Dewatering 12 0	Other (specify below)	
├-sw	-SE	2 Irrigation	on 4 Industrial 7 L	awn and garden o	nly (10)Monitoring well		
		Was a che			Department? Yes No		
S			s submitted				
5 TYPE OF BLANK	CASING USE	D: 5 Wrought	Iron	8 Concrete tile	CASING JOI	NTS: GluedClamped	
	RMP (SR)	6 Asbestos		9 Other (specify t	pelow)	Welded	
_	ABS	7 Fiberglas	s			ThreadedX	
~	er1 in. to	20 ft., Dia	in. to	ft., Dia	in. to ft.		
-					thickness or gauge NoSo	CH 40	
TYPE OF SCREEN (D PVC	10 Asbestos-cement		
1 Steel 3 S	Stainless steel		5 Fiberglass	8 RMP (SR)	11 Other (specify)		
2 Brass 4 Galvanized steel			Concrete tile	9 ABS	12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauze wrapped	8 Saw cut	11 None (open hole)		
1 Continuous slot		ill slot	6 Wire wrapped	9 Drilled holes	(-)	,	
2 Louvered shutter	_	ey punched	7 Torch cut	10 Other (specify)		
SCREEN PERFORA		• •	From20ft.		, ., Fromft. to	ft.	
					, Fromft. to		
GRAVEL PACK	INTERVALS:				., Fromft. to		
					, Fromft. to		
6 GROUT MATER	RIAL: 1 N	eat cement		(3)Bentonite	4 Other		
					ft. to f	t.	
What is the nearest s			-	10 Livestock pen			
			7 Pit privy	11 Fuel storage	15 Oil well/G	as well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon	12 Fertilizer stora	ge 16 Other (sp	ecify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard	13 Insecticide storage			
Direction from well?				How many feet?			
FROM	то	LITHOL	OGIC LOG	FROM	TO PLUG	GING INTERVALS	
0	1 Silt						
1	17.5 Cla	y		1			
17.5	18. Sllt			1			
18	27 Cla				 		
27	32 Sar						
32	34 Sar						
34	35 Cla			 	 		
	- 00,010						
		····					
							
					MW-5		
7 CONTRACTOR	S OR LANDON	NER'S CERTIF	ICATION: This water	ell was (1)]constant	cted, (2) reconstructed, or (3) plugged under my	
					rue to the best of my knowle		
				an Kecora was con	npleted on (mo/day/yr)1 by (signature)	di dan l	
	iarno or Piaine i	-nvironmental S	ervices inc		OV (SIGDSTURE)/// // // // // // //	(A X	
under the business n				DIMIT death Di-		7	
INSTRUCTIONS: U	Jse typewriter or b	all point pen. PLE	ASE PRESS FIRMLY and I		e fill in blanks, underline or circle sas 66620-0001. Telephone: 91	()(6.3	