			VVAIER	WELL RECORD	Form VVVVC-5	KSA 82a-12	12			
1 LOCATION OF WATER WELL:		Fraction		Section Number	Townsh	p Number	Range Number	-		
County: Saline		SW 1/4	NW 1/4 SE 1/4	19	T 15	S	R 3	E(W)		
Distance and direction		est town	or city stree	et address of well if lo	cated within city?					
1 mile SW of Sr										
2 WATER WELL	OWNER:	Morris	on Venture	es			-			
RR#, St. Address, B			East Iron			Board of Agr	iculture, Divisio	n of Water Resour	ces	
City, State, ZIP Code			KS 6740			Application 1				
3 LOCATE WELL	'S LOCATIO	N WITH	4 DEPTH	OF COMPLETED V	VELL60 ft.	ELEVATIO	N			
AN "X" IN SECTION	BOX		Depth(s) Gr	Depth(s) Groundwater Encountered 1						
N			WELL'S ST	ATIC WATER LEVE	L ft. below land	surface meas	ured on mo/day	/yr		
	!]		Pump test data: V	Vell water was	ft. after	hours pu	mping gpm		
NW	NF	-	Est. Yield:	Est. Yield: gpm: Well water wasft. after hours pumping gpm						
''''	Ţ		Bore Hole [Diameter3.5	in. to60	ft., and	in. to	ft.		
W		E	WELL WAT	TER TO BE USED A	S: 5 Public Water s	supply 8 Air	conditioning	11 Injection well		
	;	1	1 Domes	tic 3 Feedlot	6 Oil field water supp	ly 9 Dewate	ering 12 C	ther (specify below	<i>(</i>)	
sw	SE	1	2 Irrigation	on 4 Industrial	7 Lawn and garden o	nly (10)Moni	toring well			
	1		Was a cher	nical/bacteriological	sample submitted to	Department?	Yes No	X If yes, mo/day	/yr	
S			sample was	s submitted		Water well o	disinfected? Ye	s NoX		
5 TYPE OF BLAN	IK CASING I	JSED:	5 Wrought	Iron	8 Concrete tile		CASING JOI	NTS: GluedClan	nped	
1 Steel 3	RMP (SR)		6 Asbestos	-Cement	9 Other (specify I	below)		Welded		
②PVC 4	ABS		7 Fiberglas	s				Threaded	(
Blank casing diamet	ter1 in	. to45	5 ft., Dia	in. to	ft., Dia	in. to	ft.			
Casing height above	e land surfac	e24	in.,	, weight	lbs./ft., Wa	II thickness or	gauge NoSC	H 40		
TYPE OF SCREEN	OR PERFO	RATION	MATERIAL	:	PVC	10 Asbestos	-cement			
1 Steel 3	Stainless ste	el		5 Fiberglass	8 RMP (SR)	11 Other (sp	ecify)			
2 Brass 4	Galvanized :	steel		Concrete tile	9 ABS	٠.	ed (open hole)			
SCREEN OR PERF	ORATION C	PENING	SS ARE:	5 Gauze wrapped	8 Saw cut		11 None (ope	en hole)		
1 Continuous slot	: 1	3)Mill slo	ot	6 Wire wrapped	9 Drilled holes		(-)	,		
2 Louvered shutte	•	4 Key po		7 Torch cut	10 Other (specify	1)				
SCREEN PERFORA				From45	.ft. to60 f	•	ft. to	ft.		
					.ft. to ft					
GRAVEL PACK	INTERVAL	3 :			.ft. to60 f					
					.ft. to ft	•				
6 GROUT MATE	RIAL:	1 Neat o	ement	2 Cement grout	(3)Bentonite				-	
		ft. to	44 f	•	t. To ft., From					
What is the nearest					10 Livestock pen		14 Abandone			
1 Septic tank	-	4 Latera		7 Pit privy	11 Fuel storage		15 Oil well/G	as well		
2 Sewer lines 5 Cess po				8 Sewage lagoon	•	12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepa			•	9 Feedyard 13 Insecticide storage						
Direction from well?			3	- · · ,	How many feet?					
FROM	то		LITHOL	OGIC LOG	FROM	ТО	PLUG	GING INTERVALS	7.7.	
0		Silt		00.0 100		1	1 200	OILLO IIII EIII III		
1	17.5							· · · · · · · · · · · · · · · · · · ·		
17.5		Silt					 			
18		Clay				 	 			
27		Sand, si	ilt			 	-			
32		Sand, Si				 	+			
34		Clay	·				1			
47		Gravel	· · · · · · · · · · · · · · · · · · ·				 			
47.5						 	+			
41.5	60	Clay				 				
							 			
						ļ	ANALOD			
7001777	10.001111	01441-	NO 0555	OATION TO		<u> </u>	MW-6B			
					well was (1) construc					
					and this record is tru					
					Well Record was con	pleted on (m	p/day/yt) 10	/ /	T.	
under the business					by (signature)	and		len to.	Jes.	
INSTRUCTIONS:	Use typewriter	or ball po	oint pen. <u>PLE</u>	ASE PRESS FIRMLY ar	nd PRINT clearly. Please	e fill in blanks	nderline or circle	the correct answers.	Cali	
					u of Water, Topeka, Kan	sas 66620-000	I. Telephone: 91:	3-296-5545.		
Send one to WAT	ER WELL OW	NER and	retain one for	your records.						