			WATER	WELL RECORD	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:			_: Fraction		Section Number	Township Number	Range Number	
County: Saline			NW 1/4	NE 1/4 SW 1/4	19	T 15 S	R 3 E/W)	
Distance and direct	ion from near	est town	or city stree	t address of well if loca	ted within city?			
1 mile SW of S								
2 WATER WELL	OWNER:	Morris	on Venture	es				
RR#, St. Address, E	Box # :	1700 E	ast Iron Board of Agriculture, Division of Water Resources				sion of Water Resources	
City, State, ZIP Code : Salina			, KS 67401			Application Number:		
3 LOCATE WELL	L'S LOCATIO	N WITH	4 DEPTH OF COMPLETED WELL35 ft. ELEVATION					
AN "X" IN SECTION	N BOX		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.					
N			WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
			Pump test data: Well water wasft. after hours pumping gpm					
\ \.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\	\ <u>.</u>			•		. after hours p		
NW	- NE	1	1	•		•		
$W = \frac{1}{2}$			Bore Hole Diameter3.5in. to35 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public Water supply 8 Air conditioning 11 Injection well					
* ×!	!	-	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (specify below)					
-sw	SE						`` ' '	
-5vv		1	2 Irrigatio			nly 10 Monitoring well		
	<u> </u>	j	L	•	•	Department? Yes No	* ' '	
S				submitted		Water well disinfected?		
5 TYPE OF BLAI		JSED:	_		8 Concrete tile		DINTS: GluedClamped	
_	RMP (SR)		6 Asbestos		9 Other (specify I	pelow)	Welded	
	ABS		7 Fiberglass				ThreadedX	
				in. to				
Casing height abov	e land surfac	e24	in.,	-	_	I thickness or gauge No	SCH 40	
TYPE OF SCREEN	OR PERFO	RATION	MATERIAL		∂) •vc	10 Asbestos-cement	!	
1 Steel 3 Stainless steel				5 Fiberglass	8 RMP (SR)	11 Other (specify)		
2 Brass 4 Galvanized steel				Concrete tile	9 ABS	12 None used (open hole)		
SCREEN OR PERI	FORATION O	PENING	SS ARE:	5 Gauze wrapped				
1 Continuous slot (3)Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutt	•	4 Key p		7 Torch cut	10 Other (specify)	•	
SCREEN PERFORATED INTERVALS: From20ft. toft. to								
OOKEEN LIG ON	• (125	WILO.						
GRAVEL PACI	K INTERVAL	ç.		Fromft. toft., Fromft. toft. From19ft. toft., Fromft. toft.				
GIVALLIFACI	KINILIVAL	J .				., Fromft. to		
6 GROUT MAT	EDIAL:	1 Neat		2 Cement grout	3 Bentonite	4 Other		
					_			
Grout Intervals: From0ft. to19ft., Fromft. Toft., Fromft. to								
	•				10 Livestock pens 14 Abandoned water well		1	
			eral lines 7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess			8 Sewage lagoon	12 Fertilizer store	-	specify below)		
3 Watertight se	ewer lines	6 Seepa	age pit	9 Feedyard	13 Insecticide st	orage		
Direction from well? How many feet?								
FROM	то		LITHOL	OGIC LOG	FROM	TO PLU	GGING INTERVALS	
0	3	Clay						
3	5	Silt						
5	12	Clay						
12	14.5							
14.5		Sand					· · · · · · · · · · · · · · · · · · ·	
15		Clay		1				
19.5	24.5	_				 		
24.5		Sand				 		
****					·	 		
29.5		Clay			 			
30		Sand				 		
31	35	Clay				1,04,00		
		L			1	MW-23		
						cted, (2) reconstructed, or		
jurisdiction and was completed on (mo/day/year)9/10/07 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No709 This Water Well Record was completed on (mo/day/yr)/)10/1/07								
under the business	name of Pla	ins Envi	ronmental Se	ervices, Inc.	by (signature)	Manai Kina	WWW FON JOHSSE	
INSTRUCTIONS	: Use typewrite	r or ball p	oint pen. PLEA	ASE PRESS FIRMLY and	PRINT clearly. Pleas	e fil in blanks underline or circ	le the correct answers. (a)	
						sas 66620-0001. Telephone:	100.07	
Send one to WA	•	-				·		