			WATER V	WELL RECORD	Form WWC-5	KSA 82a-1212			
1 LOCATION O	F WATER WE	LL: F	Fraction		Section Number	Township	Number	Range Numbe	r
County: Saline				SW 1/4 NW 1/4	19	T 15	S	R 3	E(W)
		est town	or city stree	address of well if loca	ted within city?				
1 mile SW of									
_2 WATER WEL			n Venture	S					
RR#, St. Address,			ast Iron			Board of Agric	ulture, Divisio	n of Water Resou	rces
City, State, ZIP C			KS 67401			Application Nu			
3 LOCATE WE	LL'S LOCATIO			OF COMPLETED WE					
AN "X" IN SECTIO	ON BOX	- 1	Depth(s) Gr	oundwater Encountere	d 1 ft	. <b>2</b>	ft. 3	ft.	
	N	ı İ		ATIC WATER LEVEL.			•	•	]
	1 !	1		Pump test data: Wel	l water was	ft. after	hours pu	mping gpm	٠   ر
NW-		<b>!</b>	Est. Yield:	gpm: Well	water wasft	. after	hours pun	nping gpm	-
	"		Bore Hole Diameter3.5in. to35 ft., and in. to ft.						-
w  <del>x  </del>	<del></del>	E	WELL WATER TO BE USED AS: 5 Public Water supply 8 Air conditioning 11 Injection well						
l i			1 Domest	tic 3 Feedlot 6	Oil field water supp	ly 9 Dewateri	ng 12 C	Other (specify below	w)   c
⊢-sw	- <del> -</del> -se	1 1	2 Irrigatio	n 4 Industrial 7 I	Lawn and garden o	nly (10)Monito	ring well		
	1 1	ļ ļ	Was a chen	nical/bacteriological sa	mple submitted to I	Department? Yo	es No	.X If yes, mo/day	/yr
	S	•	sample was	submitted		Water well dis	sinfected? Ye	s NoX	
5 TYPE OF BL	ANK CASING L		5 Wrought I		8 Concrete tile		CASING JOI	NTS: GluedClar	
1 Steel	3 RMP (SR)		6 Asbestos-	Cement	9 Other (specify b	elow)		Welded	
2)°VC	4 ABS		7 Fiberglass			-		Threaded	
	neter1 in		•	in. to	ft Dia	n. to	ft.		
				weight				CH 40	
				-	<i>[</i> 7]≥vc	10 Asbestos-c	-		1 1
YPE OF SCREEN OR PERFORATION MATERIAL  1 Steel 3 Stainless steel				5 Fiberglass	_	11 Other (spec			
2 Brass				Concrete tile	9 ABS				
SCREEN OR PERFORATION OPENINGS A									1
1 Continuous s		3)Mill slo		6 Wire wrapped 9 Drilled holes					
2 Louvered shu	•	_		7 Torch cut 10 Other (specify)					1
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  SCREEN PERFORATED INTERVALS: From45ft. to									
SORLLIN PLIN C	TOTICO INTEN	WALO.		Fromft.		•			
CDAVEL DA	CK INTERVALS	٥.		From44ft.		•			-
GRAVELPA	OK INTERVAL	<b>.</b>		Fromft.					
6 GROUT MA	TEDIAL:	1 Neat or			3 Bentonite				
				2 Cement grout ., From ft.					
									,
What is the nearest source of possible contamination:  10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									1
				7 Pit privy	11 Fuel storage 15 Oil well/Gas well				
2 Sewer lines		5 Cess p							ľ
3 Watertight		6 Seepag	ge pit	9 Feedyard	13 Insecticide sto	orage	•••••	• • • • • • • • • • • • • • • • • • • •	.
Direction from we				2010100	How many feet?		5,110		!
FROM	то	01-	LITHOL	OGIC LOG	FROM	TO		GING INTERVALS	:
0		Clay			39.5		Clay		
3		Silt			43		Gravel		·
5		Clay			43.5		Clay		
12					50		Sand		!
14.5		Sand			52	60	Clay		
15	·								
19.5		Silt							
24.5	29.5	Sand							
29.5	30	Clay							
30	31	Sand							
31	35.5	Clay							
35.5	39.5	Sand		*			MW-21d		
7 CONTRACTO	OR'S OR LAND	OWNER	'S CERTIFI	CATION: This water w	ell was((1))construc	ted, (2) recons	tructed, or (3)	) plugged under m	y
				6/25/08					,
				This Water W		$\sim$	-	-	
under the busines					by (signature)	1 him	Kalij	•	
				SE PRESS FIRMLY and		fill in blanks, und		the correct answers.	
				nd Environment, Bureau o			-		
					1		,	1	